TM 11-5815-200-35P/5

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

See C1

FIELD AND DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOL LISTS

TELEPRINTER TT-259/FG

EMFO LIBRARY

HEADQUARTERS, DEPARTMENT OF THE ARMY
30 SEPTEMBER 1963

mt 11/9/65

Changes in force: C 2

EMFO LIBRARY
8 NOV 65

TM 11–5815–200–35P/5
***C 2**

CHANGE
No. 2

HEADQUARTERS,
DEPARTMENT OF THE ARMY
WASHINGTON, D. C., *22 September 1965*

DS, GS, and Depot Maintenance Repair Parts and Special Tool Lists
TELEPRINTER TT–259/FG

TM 11–5815–200–35P/5, 30 September 1963, is changed as follows:

Page 3. Make the following changes:

Delete paragraph 3 (as deleted by C 1, 13 Aug 64) in its entirety.

Delete paragraph 7 (as changed by C 1, 13 Aug 64) and substitute the following:

7. Reporting of Equipment Manual Improvements

The direct reporting of errors, omissions, and recommendations for improving this manual by the individual user, is authorized and encouraged. DA Form 2028 (Recommended Changes to DA Publications) will be used for reporting these improvements. This form will be completed using pencil, pen, or typewriter and forwarded direct to Commanding General, U. S. Army Electronics Command, ATTN: AMSEL–MR–(NMP)–MA, Fort Monmouth, N. J. 07703.

Page 5, Federal stock number column, "5340–282–0780." Description column, change (Authorized allowances based on a total of 16) to (Authorized allowances based on a total of 6).

Page 8, Federal stock number column. Change 6105–609–4160 to 6105–606–6456 (as changed by C 1, 13 Aug 64).

Page 27. After Item No. 50053, add the following items in the columns indicated below:

Source code				Federal stock number	Description	Qty in unit	3rd field	4th field	5th depot	Item No.
A	B	C	D							
	P1	F	.....	5815–356–3261	CAM SPLINE: Kleinschmidt part 50133.	1	0.7	0.4	3.0	50133
	P1	F	.....	5815–356–3268	PLATE STOP: Kleinschmidt part 50134	1	0.7	0.4	3.0	50134

Page 30, Federal stock number column, "5815–598–4965." Delete item in its entirety.

Page 31, Federal stock number column, "5815–547–7872." Description column, after Sig dwg SM–B–148365, add: (Replaced by 67006A).

Page 35, Federal stock number column. Change 5340–608–5824 to: 5815–600–2904.

Page 37. After Item No. 61998, add the following items in the columns indicated below:

Source code				Federal stock number	Description	Qty in unit	3rd field	4th field	5th depot	Item No.
A	B	C	D							
	P1	F	.....	5815–033–9457	CAMSHAFT: Kleinschmidt part 67006A	1	0.7	0.4	3.0	67006A
	P1	F	.....	5815–682–2235	CLIP RETAINING: Kleinschmidt part 67007	1	0.7	0.4	3.0	67007
	P1	F	.....	5340–902–4152	SPRING, HELICAL EXTENSION: Kleinschmidt part 68126	6	3.1	2.0	60.0	68126

*This change supersedes C 1, 13 August 1964.

EMFO LIBRARY

Page 43, Federal stock number column, "5920–142–4837." Make the following changes (as changed by C 1, 13 Aug 64):

Federal stock number column, change 5920–142–4837 to: 5920–229–1312. Description column, change MIL type F02GR062A to MIL type F02GR062B.

By Order of the Secretary of the Army:

HAROLD K. JOHNSON,
General, United States Army,
Chief of Staff.

EMFO LIBRARY

Official:

J. C. LAMBERT,
Major General, United States Army,
The Adjutant General.

Distribution:

Active Army:
- USASA (2)
- CNGB (1)
- CC-E (7)
- Dir of Trans (1)
- CofEngrs (1)
- CofSpts (1)
- TSG (1)
- USACDCEA (1)
- USACDCCBRA (1)
- USACDCCEA (1)
- USACDCCEA: Ft Huachuca (1)
- USACDCOA (1)
- USACDCQMA (1)
- USACDCTA (1)
- USACDCADA (1)
- USACDCARMA (1)
- USACDCAVNA (1)
- USACDCARYTA (1)
- USACDCSWA (1)
- USACDCEC (10)
- USAMC (5)
- USCONARC (5)
- ARADCOM (5)
- ARADCOM Rgn (2)
- OS Maj Comd (4)
- LOGCOMD (2)
- USAMICOM (4)
- USASMC (2)
- USASCC (4)
- MDW (1)
- Armies (2)
- Corps (2)
- USAC (3)
- 11th Air Aslt Div (3)
- Svc Colleges (2)
- Br Svc Sch (2)
- USASTC (2)
- USATC AD (2)
- USATC Armor (2)
- USATC Engr (2)
- USATC Inf (2)
- WRAMC (1)
- Army Pic Cen (2)
- Instl (2) except
  - Ft Monmouth (70)
  - Ft Gordon (10)
  - Ft Huachuca (10)
  - Ft Carson (19)
- WSMR (5)
- GENDEP (2)
- Sig Sec GENDEP (5)
- Sig Dep (12)
- A Dep (2) except
  - SAAD (30)
  - TOAD (14)
  - FTWOAD (10)
  - LEAD (7)
  - SHAD (3)
  - NAAD (5)
  - SVAD (5)
  - CHAD (3)
  - ATAD (10)
  - LBAD (14)
- Army Fld Maint Shops (2)
- AMS (1)
- USAERDAA (2)
- USAERDAW (13)
- Units org under fol TOE:
  - (2 copies each UNOINDC)
  - 11–16
  - 11–57
  - 11–97
  - 11–98
  - 11–117
  - 11–155
  - 11–157
  - 11–337
  - 11–500 (AA-AE) (4)
  - 11–587
  - 11–592
  - 11–597

NG: None.
USAR: None.
For explanation of abbreviations used, see AR 320–50.

EMFO LIBRARY

28 SEP 64

TECHNICAL DATA

TM 11–5815–200–35P/5
C 1

Field and Depot Maintenance Repair Parts and Special Tool Lists

TELEPRINTER TT–259/FG

CHANGE
No. 1

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., *13 August 1964*

TM 11–5815–200–35P/5, 30 September 1963, is changed as follows:

Page 3, section I.
Delete paragraph 3.
Delete paragraph 7 and substitute:

7. Reporting of Equipment Manual Improvements

The direct reporting by the individual user of errors, omissions, and recommendations for improving this manual is authorized and encouraged. DA Form 2028 (Recommended changes to DA publications) will be used for reporting these improvements. This form will be completed in triplicate using pencil, pen, or typewriter. The original and one copy will be forwarded direct to Commanding General, U.S. Army Electronics Command, ATTN: AMSEL–MR–MP–P, Fort Monmouth, N.J., 07703. One information copy will be furnished to the individual's immediate supervisor (officer, noncommissioned officer, supervisor, etc.).

Section II. Make the following changes:

Page 8, FEDERAL STOCK NUMBER column. Changes 6105–609–4160 to 6105–606–6456.

Page 43, FEDERAL STOCK NUMBER column 5920–142–4837. FEDERAL STOCK NUMBER column, change 5920–142–4837 to 5920–229–1312. DESCRIPTION column, change MIL type FO2GRO62A to MIL type FO2GRO62B.

EMFO LIBRARY

TECHNICAL DATA

By Order of the Secretary of the Army:

HAROLD K. JOHNSON,
General, United States Army,
Chief of Staff.

Official:
J. C. LAMBERT,
Major General, United States Army,
The Adjutant General.

Distribution:

Active Army:

USASA (2)
CNGB (1)
USAARMBD (2)
USAARTYBD (2)
CofT (1)
CofEngrs (1)
TSG (1)
CofSptS (1)
C/COMMEL (7)
USCONARC (5)
USAMC (5)
ARADCOM (2)
ARADCOM Rgn (2)
OS Maj Comd (3)
OS Base Comd (2)
LOGCOMD (2)
USAMICOM (4)
USAECOM (7)
MDW (1)
Armies (2)
Corps (2)
USA Corps (3)
Instl (2) except
Ft Monmouth (63), Ft Hancock (4)
Ft Gordon (5), Ft Huachuca (10)
11th Air Assault Div (3)
Svc Colleges (2)
Br Svc Sch (2)
GENDEP (OS) (2)
Sig Dep (OS) (12)
Sig Sec, GENDEP (OS) (5)
Army Dep (2) except
Tobyhanna, Lexington (12)
Sacramento (28), Ft Worth (8)
Letterkenny (5), Sharpe (3)
Navajo, Savanna (5)
Charleston (3)
USAAVCOM (1)
USASCC (4)
USASMCOM (2)
USASA 1st Fld Sta (5)
USA Elct Mat Agcy (9)
USACECDA (1)
USACECDA (Monmouth Ofc) (1)
USARSOUTHCOM Sig Agcy (1)
Chicago Proc Dist (1)
USATC AD (2)
USATC Armor (2)
USATC Engr (2)
USATC Inf (2)
USASTC (3)
WRAMC (1)
Army Pic Cen (2)
AMS (1)
Army Tml (1) except Oakland (5)
POE (1)
Sig Fld Maint Shops (3)
USAERDL (2)
USA Cold Rgn RE Lab (2)
USAELRDA (White Sands) (13)
Units organized under following TOE's (2 copies each except as indicated):

11–16	11–158
11–57	11–500 (AA–AE) (4)
11–97	
11–98	11–557
11–117	11–587
11–155	11–592
11–157	11–597

NG: None.
USAR: None.
For explanation of abbreviations used, see AR 320–50.

U.S. GOVERNMENT PRINTING OFFICE: 1964

Technical Manual
No. 11-5815-200-35P/5

EMFO LIBRARY

HEADQUARTERS,
DEPARTMENT OF THE ARMY
WASHINGTON 25, D.C., *30 September 1963*

TELEPRINTER TT-259/FG

			Paragraph	Page
SECTION I.	INTRODUCTION			
	Scope		1	2
	Parts for maintenance		2	3
	Other service stock numbers		3	3
	Additional repair parts authorization		4	3
	Requisitioning information		5	3
	References		6	3
	Comments on parts list		7	3
II.	FUNCTIONAL PARTS LIST			
	Teleprinter TT–259/FG			
	Group 1	Cover and copyholder		4
	2	Motor group		7
	2A	Motor, ac, 1/20 hp, Bodine		7
	2B	Motor, ac, 1/20 hp, Howard		8
	3	Platen assembly		9
	4	Carriage assembly		12
	5	Main frame assembly		21
	6	Chassis assembly		37
	7	Base assembly		42

***This manual supersedes that portion of TM 11-5815-200-35P, 19 February 1960, including C2, 31 May 1961, as pertains to Teleprinter TT-259/FG.**

SECTION I

INTRODUCTION

1. Scope

a. This manual lists the quantities of repair parts for third, fourth, and fifth echelon field maintenance and is a basis for requisitioning authorized parts. It is also a guide for fifth echelon in establishing initial levels of spare parts.

b. Columns are as follows:

(1) *Source, maintenance, and recoverability code.* Source, maintenance, and recoverability codes indicate the technical service responsible for supply, the echelons where an item is stocked, echelons where an item is installed or repaired, and whether an item is repairable or salvageable. The source code column is divided into four parts.

(a) Column A. This column indicates the technical service responsible for supply. AR 310-1 defines the basic numbers used to identify the technical services. If the part is supplied by the Signal Corps, the column is blank.

(b) Column B. This column indicates the point within the maintenance system where the part is available. "P" indicates that the repair part is a high mortality part; procured by technical services, stocked in and supplied from the technical service depot system, and authorized for use at indicated maintenance echelons. "P1" indicates that the repair part is a low mortality part; procured by technical services, stocked only in and supplied from technical service *key* depots, and authorized for installation at indicated maintenance echelons.

(c) Column C. This column indicates the lowest maintenance echelon authorized to install the part.

"O" – Organizational maintenance (1st and 2d echelon).

"F" – Field maintenance (3d echelon).

"H" – Field maintenance (4th echelon).

(d) Column D. Not used.

(2) *Federal stock number.* This column lists the 11-digit Federal stock number.

(3) *Designation by model.* Not used.

(4) *Description.* Nomenclature or the standard item name and brief identifying data for each item are listed in this column. When requisitioning, enter the nomenclature and description.

(5) *Unit of issue.* The unit of issue is each unless otherwise indicated and is the supply term by which the individual item is counted for procurement, storage, requisitioning, allowances, and issue purposes.

(6) *Expendability.* Nonexpendable items are indicated by NX. Expendable items are not annotated.

(7) *Quantity incorporated in unit.* This column lists the quantity of each part found in a given assembly, component, or equipment.

(8) *Field (third echelon).* This column indicates quantities of repair parts authorized for initial stockage for use in the third echelon maintenance and in supply support to second echelon. The quantities are based on 100 equipments to be maintained for a 15-day period.

(9) *Field (fourth echelon).* The numbers in this column indicate quantities of repair parts authorized for initial stockage for use in fourth echelon maintenance. The quantities are based on 100 equipments to be maintained for a 15-day period.

(10) *Depot (fifth echelon).* The numbers in this column indicate

quantities of repair parts authorized for depot maintenance and for initial stockage for maintenance, and for supply support to lower echelons. The entries are based on the quantity required for rebuild of 100 equipments.

(11) *Illustration.* The "Item No." column lists the reference symbols used for identification of the items in the illustration or test of the manual.

2. Parts for Maintenance

When this equipment is used by signal service organizations organic to the theater headquarters or communication zones to provide theater communications, those repair parts authorized up to and including fourth echelon are authorized for stockage by the organization operating this equipment.

3. Other Service Stock Numbers

Other service items listed herein are authorized in accordance with AR 700-51.

4. Additional Repair Parts Authorization

An asterisk (*) in the column titled "15 Day Maintenance Allowance per 100 Equipments" indicates that an item is not authorized for stockage but if required, may be requisitioned for immediate use only.

5. Requisitioning Information

a. The allowance factors are based on 100 equipments. In order to determine the number of parts authorized for initial stockage for the specific number of equipments supported, the following formula will be used and carried out to two decimal places.

$$\text{Specific number of equipments supported} \times \frac{\text{allowance factor}}{100} =$$

Number of parts authorized for initial stockage.

b. Fractional values obtained from above computation will be rounded to whole numbers as follows:

(1) When the total number of parts authorized is less than 0.5, the quantity authorized will be zero.

(2) When the total number of parts authorized is between 0.5 and 1.0, the quantity authorized will be one.

(3) For all values above one, fractional values below 0.5 will revert to the next lower whole number and fractional value 0.5 and above will advance to the next higher whole number.

c. The quantities determined in accordance with the above computation represent the initial stockage for a 15-day period.

6. References

A basic issue items list is contained in TM 11-5815-200-10. Additional instructions concerning maintenance of this equipment are contained in:

Organizational Maintenance Repair Parts and Special Tools List and Maintenance Allocation Chart:

TM 11-5815-200-20P, Teletypewriter Sets AN/FGC-20, AN/FGC-20X, AN/FGC-21, and AN/UGC-4, and AN/FGC-66, and Teleprinter TT-259/FG.

Field and Depot Maintenance Repair Parts and Special Tools List:

TM 11-5815-200-35P/1, Teletypewriter Set, AN/FGC-20.

TM 11-5815-200-35P/2, Teletypewriter Sets, AN/FGC-20X and AN/UGC-4.

TM 11-5815-200-35P/3, Teletypewriter Set, AN/FGC-21.

TM 11-5815-200-35P/4, Teletypewriter Set, AN/FGC-66.

7. Comments on Parts List

Fill out and forward DA Form 2028 (Recommended Changes to DA Technical Manual Parts List or Supply Manual 7, 8 or 9) direct to: Commanding Officer, U. S. Army Electronics Materiel Support Agency: ATTN: SELMS-ML, Fort Monmouth, New Jersey, 07703.

SECTION II. FUNCTIONAL PARTS LIST

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D										FIGURE NO.	ITEM NO.
				5815-688-8761		TELEPRINTER TT-259/FG: Fixed station 7.42 Unit code; English Comm characters, 72 characters per line, friction or sprocket feed, synchronous motor, AC, 110V, 60 cyc, 60 or 100 wpm operating speed, receive only		NX						
						GROUP 1 COVER AND COPY HOLDER								
5	P1	C		6240-892-6102		LAMP, INCANDESCENT: GE part 10C715DC			2	3.1	2.0	75		I1,I2
	P1	F		5815-322-5591		CONTACT, ELECTRICAL: Sig dwg SC-B-70198			2	2.0	1.2	20		P6
5	P1	F		6250-228-0418		LAMPHOLDER: Dialco type No. 12-06			2	0.8	0.4	20		XD1,XD2
	P1	F		5305-521-8637		SCREW, CAP, SOCKET HEAD: MIL type MS-35460-1 (Authorized allowances based on a total of 15)			3	5.5	2.2	150		10001
9	P1	F		5305-647-5916		SCREW, MACHINE: Kleinschmidt part No. 10176			4	2.0	1.2	40		10176
	P1	F		5305-298-7831		SCREW, MACHINE: Kleinschmidt part #10301			4	2.0	1.2	40		10301
	P1	F		5305-208-7907		SCREW, MACHINE: Kleinschmidt part #10308 (Authorized allowances based on a total of 7)			1	3.1	2.0	70		10308
	P1	F		5305-297-7798		SCREW, MACHINE: Kleinschmidt part No. 10375 (Authorized allowances based on a total of 8)			6	3.6	2.3	80		10375
9	P1	F		5305-281-1060		SCREW, MACHINE: Kleinschmidt part No. 10376			4	2.0	1.2	40		10376
	P1	F		5305-579-5443		SCREW, MACHINE: Kleinschmidt part #10378			2	1.5	0.8	20		10378
	P1	F		5305-207-5582		SCREW, MACHINE: Kleinschmidt part No. 10393 (Authorized allowances based on a total of 8)			4	3.6	2.3	80		10393
	P1	F		5310-543-2739		WASHER, LOCK: MIL type MS-35333-72 (Authorized allowances based on a total of 38)			8	10.5	4.6	380		10404

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-259/FG (continued)								
P1 F	5310-209-3868		WASHER, LOCK: Shakeproof part No. 1706-01			6	3.1	2.0	60		10412
P1 F	5310-013-1196		WASHER, LOCK: MIL type MS-35337-60 (Authorized allowances based on a total of 79)			6	18.3	8.7	790		10429
P1 F	5310-013-1116		WASHER, LOCK: MIL type MS-35339-59 (Authorized allowances based on a total of 4)			2	2.0	1.2	40		10432
P1 F	5310-209-3860		WASHER, LOCK: Kleinschmidt part No. 10434 (Authorized allowances based on a total of 6)			4	3.1	2.0	60		10434
P1 F	5310-429-2274		WASHER, FLAT: Kleinschmidt part #10463 (Authorized allowances based on a total of 14)			6	2.6	1.6	140		10463
P1 F	5310-551-7541		NUT, SELF-LOCKING, HEXAGONAL: ESNA part F22-NTM-60 (Authorized allowances based on a total of 24)			1	11.0	4.9	240		10500
P1 F	5310-550-1154		NUT, PLAIN, HEXAGONAL: kleinschmidt part #10504 (Authorized allowances based on a total of 6)			4	3.1	2.0	60		10504
P1 F	5310-596-8272		NUT, PLAIN, HEXAGONAL: GE part #N207			1	1.0	0.5	10		10511
P1 F	5310-514-8471		NUT, PLAIN, HEXAGONAL: Kleinschmidt part No. 10515 (Authorized allowances based on a total of 11)			4	4.8	3.0	110		10515
P1 F	5310-221-4916		NUT, PLAIN, HEXAGONAL: Kleinschmidt part No. 10517			6	3.1	2.0	60		10517
P1 F	5310-521-8558		NUT, PLAIN, HEXAGONAL: WEco part ESA-693269 (Authorized allowances based on a total of 10)			4	4.2	2.7	100		10520
P1 F	5310-584-7961		NUT, SELF-LOCKING, HEXAGONAL: ESNA part No. F22NM-50			2	1.5	0.8	20		10523
P1 F	5340-256-2867		RING, RETAINING: Waldes part No. 5133-15-PP-RP (Authorized allowances based on a total of 13)			2	5.0	2.0	130		10960
P1 F	5340-282-0780		RING, RETAINING: Waldes part #5133-12-PP-RP (Authorized allowances based on a total of 16)			2	3.1	2.0	60		10969

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-259/FG (continued)								
P1 F	5340-616-4545		STUD, FRICTION CATCH: Tinnerman Prod Part P101-447-495			2	0.8	0.4	8		10984
P1 F	5815-547-7871		CATCH, FASTENER: Tinnerman Prod No. C-4883-012-1			2	0.8	0.4	8		10985
P1 F	5940-643-5260		TERMINAL LUG: Aircraft Marine Products Part #31890			4	2.0	1.2	40		20707
P1 F	5940-231-4428		TERMINAL LUG: Thomas & Betts part C-33 (Authorized allowances based on a total of 3)			2	2.0	1.2	30		20708
P1 F	5970-617-5316		INSULATOR, BUSHING: Sig dwg No. SC-B-70200			2	0.8	0.4	20		51106
P1 F	5330-049-7872		WASHER, NON-METALLIC: Sig dwg SC-B-70488 (Authorized allowances based on a total of 4)			2	3.1	2.0	40		51481
P1 F	5315-523-5956		PIN, GROOVED, HEADLESS: Sig Dwg SM-B-148385			1	0.5	0.3	2		52068
P1 F	5315-392-7757		PIN, GROOVED, HEADLESS: Sig dwg SM-B-148421			1	0.5	0.3	2		52258
P1 F	5815-392-7792		SPRING, HELICAL, TORSION: Sig dwg SM-B-148450			1	1.0	0.5	2		52551
P1 F	5815-264-5429		WINDOW, OBSERVATION: Sig dwg SM-B-148515			1	0.8	0.4	4		52896
P1 F	5305-567-2033		SCREW, SHOULDER: Sig C dwg SM-B-148584			2	1.5	0.8	20		52987
P1 F	5310-558-3153		WASHER, FLAT: Sig dwg SM-B-148585 (Authorized allowances based on a total of 3)			2	1.0	0.5	30		52988
P1 F	5815-521-1393		GUIDE, LINE: Sig dwg SM-B-148649			1	0.5	0.3	5		53191
P1 F	5815-855-9307		PIN, STRAIGHT, HEADED: Sig dwg SM-B-148705			1	0.5	0.3	2		53426
P1 F	5815-663-3322		SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-148310-6			2	1.5	0.8	10		53558
P1 F	5815-521-7181		PLATE, ADJUSTING: Sig dwg SM-B-157340			2	0.8	0.4	4		54884

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-259/FG (continued)								
Pl F	5815-664-2151		SPRING,HELICAL, EXTENSION: Sig dwg SM-B-186994			1	1.0	0.5	10		54948
Pl F	5815-322-5587		BUTTON, PUSH: Sig dwg SM-B-187821			1	0.5	0.3	2		54992A
Pl F	5815-322-5588		BUTTON, PUSH: Sig dwg SM-B-187014			1	0.5	0.3	2		54995A
Pl F	5815-560-5753		SPRING, HELICAL, TORSION: Sig dwg No. SM-B-187017			2	1.5	0.8	20		54996
			GROUP 2 MOTOR GROUP								
			GROUP 2A MOTOR, AC, 1/20 H.P. BODINE								
Pl F	6105-606-6456		MOTOR, ALTERNATING CURRENT: Synchronous type, 1/20 H.P. (BODINE) Kleinschmidt part 56871A			1	1.0	0.5	2		56871A
Pl F	5305-297-7905		SETSCREW: MIL type MS51020-49			1	1.0	0.5	10		10210
Pl F	5975-301-5916		NUT: MIL type AN-3054-6			1	1.0	0.5	10		10533
Pl H	3110-542-0120		BEARING, BALL, ANNULAR: Fafnir part 38KVTD			2		0.8	5		10760
Pl F	5935-280-2829		CONNECTOR, PLUG, ELECTRICAL: MIL type AN3106A-14S-2P			1	1.0	0.5	10		20446
Pl F	4450-694-1270		IMPELLAR, FAN, CENTRIFUGAL: Kleinschmidt part 20839			1	0.5	0.3	5		20839
Pl F	5315-547-9203		PIN, STRAIGHT, HEADLESS: Sig dwg SC-B-69682			1	0.5	0.3	2		50359
Pl F	6125-521-0612		FELT, MECHANICAL, PREFORMED: Sig dwg SC-B-69683			2	3.1	2.0	20		50949
Pl F	5815-527-0231		SHIM: (motor mounting) Kleinschmidt part 51509			2	0.8	0.4	20		51509
Pl F	5815-527-0230		SHIM: (Motor mounting) Klienschmidt part 51510			2	0.8	0.4	20		51510
Pl F	6105-521-0419		ROTOR, MOTOR: Bodine part K-567			1		0.3	2		53361A
Pl H	5330-542-1077		FELT, MECHANICAL PREFORMED: BODINE NE part C-501			2		2.0	20		60530

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-259/FG (continued)								
P1 H	5310-619-2479		WASHER, SPRING, TENSION: BODINE part 3098-5-020			2		0.4	20		60531
P1 H	5305-619-4695		SCREW, MACHINE: BODINE part K-569			4		1.2	40		60533
P1 H	5310-619-2480		NUT, PLAIN, HEXAGONAL: BODINE part K-509			4		1.2	40		60534
P1 H	5310-619-2135		WASHER, LOCK: BODINE part K-1018			4		1.2	40		60535
P1 H	5310-264-0072		SHIM: BODINE part N-162			2		0.4	20		60532
			GROUP 2B MOTOR,AC, 1/20 H. P. HOWARD								
P1 F	6105-609-4160		MOTOR, ALTERNATING CURRENT: Howard #SBCE-2922-9N		NX	1	1.0	0.5	2		56854A
P1 F	5305-333-4254		SETSCREW: Kleinschmidt part 10211			1	1.0	0.5	10		10211
P1 H	5305-579-5448		SCREW, MACHINE: Kleinschmidt part 10333			8		2.3	80		10333
P1 H	5305-208-6168		SCREW, MACHINE: Kleinschmidt part 10367			8		2.3	80		10367
P1 H	5310-579-1252		WASHER, LOCK: Kleinschmidt part 10442			8		2.3	80		10442
P1 H	5310-596-7175		WASHER, FINISHING: Shakeproof #1724-02			1		0.3	10		10478
P1 H	3110-542-0120		BEARING, BALL ANNULAR: FAFNIR part 38 KVTD			2		0.8	10		10760
P1 F	5935-280-2829		CONNECTOR, PLUG: MIL type AN-3106A-14S-2P			1	1.0	0.5	10		20446
P1 F	5315-547-9203		PIN, STRAIGHT, HEADLESS: Sig dwg SC-B-69682			1	0.5	0.3	2		50359
P1 F	5355-579-7023		KNOB: Kleinschmidt part 54217			1	1.0	0.5	5		54217
P1 H	6105-542-6563		ROTOR, MOTOR: Howard Part #78-866			1		0.3	2		56853
P1 H	5815-609-4169		RETAINER, BEARING: Howard part EPL-4-1			2		1.2	10		56886

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D										FIGURE NO.	ITEM NO.
						TT-259/FG (continued)								
	P1	H		5310-579-3492		WASHER, SPRING, TENSION: Howard part #SPR-31			2		0.4	10		56887
	P1	H		5310-285-4451		SHIM: Howard part #WAS-57-3 (BEARING)			2		0.4	10		56888
	P1	H		5975-543-1194		CONDUIT ASSEMBLY: Sig dwg SM-B-185276			1		0.3	2		57646A
						GROUP 3 PLATEN ASSEMBLY								
	P1	F		5305-521-8636		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No, 10002			2	1.5	0.8	20		10002
	P1	F		5305-274-0401		SCREW, CAP, SOCKET HEAD: MILtype MS-35461-1 (Authorized allowances based on a total of 53)			3	14.0	6.4	530		10008-01
	P1	F		5305-533-5362		SCREW, CAP, SOCKET HEAD: MIL type MS-35460-10			2	1.5	0.8	20		10015
	P1	F		5305-655-6955		SCREW, CAP, SOCKET HEAD: MIL type MS-35460-11 (Authorized allowances based on a total of 6)			2	3.1	2.0	60		10024
	P1	F		5305-333-4261		SETSCREW: MIL type MS-51019-33 (Authorized allowances based on a total of 22)			4	7.1	3.0	220		10201
	P1	F		5305-207-8967		SETSCREW: MIL type MS-51020-48 Authorized allowances based on a total of 24)			6	7.5	3.1	240		10209
	P1	F		5305-297-7721		SCREW, MACHINE: Kleinschmidt part #10398			1	1.0	0.5	10		10398
	P1	F		5310-013-1196		WASHER, LOCK: (For authorized allowances see Group #1)			3					10429
	P1	F		5310-209-3871		WASHER, LOCK: MIL type MS-35339-61 (Authorized allowances based on a total of 77)			2	18.3	8.7	770		10430
	P1	F		5310-198-3711		WASHER, LOCK: MIL typeMS-35339-62 (Authorized allowances based on a total of 12)			2	4.8	3.0	120		10431
	P1	F		5310-639-8165		WASHER, FLAT: MIL type MS-15795-205 (Authorized allowances based on a total of 10)			2	2.0	1.2	100		10458

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D										FIGURE NO.	ITEM NO.
						TT-259/FG (continued)								
	Pl	F		5310-637-3945		WASHER, FLAT: Kleinschmidt part No. 10464 (Authorized allowances based on a total of 6)			2	1.5	0.8	60		10464
	Pl	F		5310-595-5385		WASHER, FLAT: Kleinschmidt part No. 10467 (Authorized allowances based on a total of 20)			1	3.1	2.0	200		10467
	Pl	F		5310-523-2035		NUT, SELF-LOCKING, HEXAGONAL: ESNA part F22NTM82 (Authorized allowances based on a total of 14)			1	7.5	3.1	140		10501
	Pl	F		5310-521-8574		NUT, PLAIN, KNURLED: Kleinschmidt part No. 10537			1	1.0	0.5	10		10537
9	Pl	F		3120-528-5901		BEARING, SLEEVE: Amplex part T-504			1	0.5	0.3	10		10707
	Pl	F		5340-282-0813		RING,RETAINING: Waldes part No. 5133-18-PP-RP (Authorized allowances based on a total of 22)			10	7.1	3.0	110		10949
	Pl	F		5340-256-2867		RING, RETAINING: (For authorized allowances see Group #1)			1					10960
	Pl	F		5340-282-0780		RING, RETAINING: (For authorized allowances see Group #1)			2					10969
	Pl	F		5815-356-3263		DETENT: Sig c dwg No. SC-B-70108			1	0.5	0.3	1		50108A
	Pl	F		5815-356-3273		ROLLER, PAPER: Sig c dwg No. SC-B-70113			1	0.5	0.3	2		50161A
	Pl	F		5815-356-3275		PAWL: Sig dwg No. SC-B-70098			1	0.8	0.4	2		50165
	Pl	F		5815-356-3286		ARM: Sig Dwg SC-B-70100			1	0.8	0.4	10		50214
	Pl	F		5305-356-4126		SETSCREW: Sig C dwg No. SC-B-70103			1	1.0	0.5	10		50238
	Pl	F		5310-521-8729		WASHER, FLAT: Sig C dwg No. SC-B-69322-1 (Authorized allowances based on a total of 10)			4	2.0	1.2	100		50315
	Pl	F		5815-598-4963		SPRING, HELICAL, EXTENSION: Sig C dwg No. SC-B-69326-22			1	1.0	0.5	10		50333
	Pl	F		5340-263-3849		RING, RETAINING: Sig C Dwg No. SC-B-69739			2	1.5	0.8	20		51099
	Pl	F		5310-205-8932		WASHER, FLAT: Sig Dwg SC-B-69322-8			4	1.1	0.6	40		51768

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-259/FG (continued)								
P1 F	5815-598-4990		SPRING, HELICAL, EXTENSION: Sig C Dwg No. SC-C-69326-23			2	1.5	0.8	20		51851
P1 F	5815-597-2295		SPRING, HELICAL, EXTENSION: Sig C Dwg No.SM-B-157010-3			1	1.0	0.5	10		52169
P1 F	5815-392-7846		WHEEL, RATCHET: Sig C dwg No. SM-B-148497			1	0.5	0.3	35		52807
P1 F	5815-692-6843		STUD, THREADED: Sig Dwg SM-B-148544			1	1.0	0.5	10		52931
P1 F	5815-392-7889		LEVER: Sig dwg SM-B-148599			1	0.8	0.4	10		53095A
P1 F	5815-392-7896		ARM: Sig dwg SM-B-148624			1	0.5	0.3	10		53134A
P1 F	5815-040-1487		LEVER: Sig dwg SM-B-148627			1	0.8	0.4	10		53137A
P1 F	5815-597-2285	† † † †	SPRING, HELICAL, EXTENSION: Sig dwg SM-B-157010-11			1	1.0	0.5	10		53149
P1 F	5815-537-7672		LEVER ASSEMBLY: Sig dwg SC-B-69576			1	0.8	0.4	10		53202A
P1 F	5815-322-5584		LATCH, LEVER: Sig dwg SM-B-186996			1	0.5	0.3	3		54951
P1 F	5815-322-5585		LEVER: Sig dwg SM-B-186999			1	0.8	0.4	10		54954A
P1 F	5815-338-3384		SHAFT, PLATEN: Sig dwg SM-B-187000			1	0.5	0.3	1		54955A
P1 F	5815-663-3381		SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-187002			1	1.0	0.5	5		54957
P1 F	5815-663-3066		CRANK, ASSEMBLY: Sig dwg SM-B-187005			1	0.5	0.3	5		54960A
P1 F	5815-327-5144		ROLLER ASSEMBLY, PAPER: Sig dwg SM-C-187625			1	1.0	0.5	10		54965A
P1 F	5815-523-8660		SPRING, HELICAL, TORSION: Sig dwg SM-B-187008			2	1.5	0.8	2		54967
P1 F	5815-600-3026		PIN, GROOVED, HEADLESS: Sig dwg SM-B-187009			1	0.5	0.3	3		54968
P1 F	5815-340-3721		ROLLER, PAPER: Sig dwg SM-B-187050			1	1.3	0.7	3		55079A
P1 F	5305-521-8650		SETSCREW: Sig dwg SM-B-187057			1	1.0	0.5	10		55139
P1 F	5815-591-0868		GUIDE, PAPER: Sig dwg SM-B-187059-1			1	0.5	0.3	5		55141A

SOURCE CODE A	B	C	D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
						TT-259/FG (continued)								
P1		F		5815-664-2137		SPRING, HELICAL, EXTENSION: Sig dwg SM-B-186875-6			3	1.9	1.1	30		55143
P1		F		5815-591-0869		GUIDE, PAPER: Sig dwg SM-B-187059-2			1	0.5	0.3	5		55144A
P1		F		5815-340-3725		SHAFT, PLATEN PRESSURE: Sig dwg SM-B-187097			1	0.5	0.3	2		55530A
P1		F		5815-588-0965		LINK, CONNECTING: Sig dwg SM-B-187510			1	0.5	0.3	2		56676A
						GROUP 4 CARRIAGE ASSEMBLY								
P1		F		5305-521-8637		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #1)			6					10001
P1		F		5305-531-9034		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10003 (Authorized allowances based on a total of 25)			4	7.8	3.4	250		10003
P1		F		5305-753-4356		SCREW, CAP, SOCKET HEAD: MIL type MS-35460-2 (Authorized allowances based on a total of 15)			8	5.5	2.2	150		10004
P1		F		5305-570-5987		SCREW, CAP, SOCKET HEAD: MIL type MS-35459-17 (Authorized allowances based on a total of 6)			2	3.1	2.0	60		10011
P1		F		5305-655-6955		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #3)			2					10024
P1		F		5305-297-7962		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10025 (Authorized allowances based on a total of 6)			2	2.6	1.6	60		10025
P1		F		5305-579-1518		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10050 (Authorized allowances based on a total of 4)			2	2.6	1.6	40		10050
P1		F		5305-531-1200		SCREW, CAP, SOCKET HEAD: MIL type MS-35459-20			2	1.5	0.8	20		10063
P1		F		5305-333-4261		SETSCREW: (For authorized allowances see Group #3)			8					10201
P1		F		5305-579-5304		SETSCREW: MIL type MS-51019-35 (Authorized allowances based on a total of 2)			1	1.5	0.8	10		10204

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-259/FG (continued)								
P1 F	5305-333-4264		SETSCREW: MIL type MS-51020-56			2	1.5	0.8	20		10214
P1 F	5305-537-8249		SCREW, MACHINE: Kleinschmidt part No. 10306			2	1.5	0.8	20		10306
P1 F	5305-298-8569		SCREW, MACHINE: Kleinschmidt part No. 10319			1	1.0	0.5	10		10319
P1 F	5305-533-5352		SCREW, MACHINE: Kleinschmidt part No. 10320			1	1.0	0.5	10		10320
P1 F	5310-178-8361		WASHER, LOCK: MIL type MS-35333-75			1	1.0	0.5	10		10401
P1 F	5310-543-2739		WASHER, LOCK: (For authorized allowances see Group #1)			2					10404-
P1 F	5310-013-1196		WASHER, LOCK: (For authorized allowances see Group #1)			18					10429
P1 F	5310-209-3871		WASHER, LOCK: (For authorized allowances see Group #3)			7					10430
P1 F	5310-198-3711		WASHER, LOCK: (For authorized allowances see Group #3)			5					10431
P1 F	5310-013-1116		WASHER, LOCK: (For authorized allowances see Group #1)			2					10432
P1 F	5310-637-3945		WASHER, FLAT: (For authorized allowances see Group 3)			2					10464
P1 F	5310-595-5385		WASHER, FLAT: (For authorized allowances see Group #3)			3					10467
P1 F	5310-551-7541		NUT,SELF-LOCKING,HEXAGONAL: (For authorized allowances see Group #1)			2					10500
P1 F	5310-523-2035		NUT, SELF-LOCKING,HEXAGONAL: (For authorized allowances see Group #3)			1					10501
P1 F	5310-524-0219		NUT,PLAIN, WING: Kleinschmidt part No. 10508 (Authorized allowances based on a total of 2)			1	1.5	0.8	10		10508
P1 F	5310-208-6617		NUT, PLAIN, HEXAGONAL: Kleinschmidt part No. 10509 (Authorized allowances based on a total of 5)			3	2.6	1.6	150		10509

SOURCE CODE A B C D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
			TT-259/FG (continued)								
P1 F	5815-228-6712		BAR, CONNECTING, TELETYPEWRITER: Stamped-15 Sig Dwg No. SC-C-69992-15			1	0.8	0.4	5		50036
P1 F	5815-228-6702		BAR, CONNECTING, TELETYPEWRITER: Stamped-16 Sig Dwg No. SC-C-69992-16			1	0.8	0.4	5		50037
P1 F	5815-228-6710		BAR, CONNECTING, TELETYPEWRITER: Stamped-17 Sig Dwg No. SC-C-69992-17			1	0.8	0.4	5		50038
P1 F	5815-228-6696		BAR, CONNECTING, TELETYPEWRITER: Stamped-18 Sig Dwg No. SC-C-69992-18			1	0.8	0.4	5		50039
P1 F	5815-228-6700		BAR, CONNECTING, TELETYPEWRITER: Stamped-19 Sig Dwg No. SC-C-69992-19			1	0.8	0.4	5		50040
P1 F	5815-228-6711		BAR, CONNECTING, TELETYPEWRITER: Stamped-20 Sig Dwg No. SC-C-69992-20			1	0.8	0.4	5		50041
P1 F	5815-228-6695		BAR, CONNECTING, TELETYPEWRITER: Stamped-21 Sig Dwg No. SC-C-69992-21			1	0.8	0.4	5		50042
P1 F	5815-228-6754		BAR, CONNECTING, TELETYPEWRITER: Stamped-22 Sig Dwg No. SC-C-69992-22			1	0.8	0.4	5		50043
P1 F	5815-228-6697		BAR, CONNECTING, TELETYPEWRITER: Stamped-23 Sig Dwg No. SC-C-69992-23			1	0.8	0.4	5		50044
P1 F	5815-228-6706		BAR, CONNECTING, TELETYPEWRITER: Stamped-24 Sig Dwg No. SC-C-69992-24			1	0.8	0.4	5		50045
P1 F	5815-228-6698		BAR, CONNECTING, TELETYPEWRITER: Stamped-25 Sig Dwg No. SC-C-69992-25			1	0.8	0.4	5		50046
P1 F	5815-228-6699		BAR, CONNECTING, TELETYPEWRITER: Stamped-26 Sig Dwg No. SC-C-69992-26			1	0.8	0.4	5		50047
			NOTE: The following set of type bars may be used when Teleprinter TT-259/FG is operated at 50 wpm								
P1 F	5815-253-9745		BAR, T, TELETYPEWRITER: (Z'') Sig Dwg SM-D-187782-1			1	0.8	0.4	5		50054A
P1 F	5815-253-9746		BAR, T, TELETYPEWRITER: (J') Sig Dwg SM-D-187782-2			1	0.8	0.4	5		50055A
P1 F	5815-243-5926		BAR, T, TELETYPEWRITER: (X 1) Sig Dwg SM-D-187782-3			1	0.8	0.4	5		50056A

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-259/FG (Continued)								
P1 F	5815-243-5925		BAR, T, TELETYPEWRITER: (V ;) Sig Dwg SM-D-187782-4			1	0.8	0.4	5		50057A
P1 F	5815-356-3241		BAR, T, TELETYPEWRITER: (B?) Sig Dwg SM-D-187782-5			1	0.8	0.4	5		50058A
P1 F	5815-356-3242		BAR, T, TELETYPEWRITER: (C:) Sig Dwg SM-D-187782-6			1	0.8	0.4	5		50059A
P1 F	5815-356-3243		BAR, T, TELETYPEWRITER: (P Ø) Sig Dwg SM-D-187782-7			1	0.8	0.4	5		50060A
P1 F	5815-356-3244		BAR, T, TELETYPEWRITER: (M .) Sig Dwg SM-D-187782-8			1	0.8	0.4	5		50061A
P1 F	5815-356-3245		BAR, T, TELETYPEWRITER: (F !) Sig Dwg SM-D-187782-9			1	0.8	0.4	5		50062A
P1 F	5815-356-3246		BAR, T, TELETYPEWRITER: (R 4) Sig Dwg SM-D-187782-10			1	0.8	0.4	5		50063A
P1 F	5815-356-3247		BAR, T, TELETYPEWRITER: (O 9) Sig Dwg SM-D-187782-11			1	0.8	0.4	5		50064A
P1 F	5815-356-3248		BAR, T, TELETYPEWRITER: (I 8) Sig Dwg SM-D-187782-12			1	0.8	0.4	5		50065A
P1 F	5815-356-3249		BAR, T, TELETYPEWRITER: (T 5) Sig Dwg SM-D-187782-13			1	0.8	0.4	5		50066A
P1 F	5815-356-3250		BAR, T, TELETYPEWRITER: (E 3) Sig Dwg SM-D-187782-14			1	0.8	0.4	5		50067A
P1 F	5815-356-3251		BAR, T, TELETYPEWRITER: (A -) Sig Dwg SM-D-187782-15			1	0.8	0.4	5		50068A
P1 F	5815-356-3254	† † † †	BAR, T, TELETYPEWRITER: (N ') Sig Dwg SM-D-187782-18			1	0.8	0.4	5		50071A
P1 F	5815-356-3255		BAR, T, TELETYPEWRITER: (L)) Sig Dwg SM-D-187782-19			1	0.8	0.4	5		50072A
P1 F	5815-356-3256		BAR, T, TELETYPEWRITER: (D $) Sig Dwg SM-D-187782-20			1	0.8	0.4	5		50073A
P1 F	5815-356-3257		BAR, T, TELETYPEWRITER: (U 7) Sig Dwg SM-D-187782-21			1	0.8	0.4	5		50074A

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-259/FG (continued)								
Pl F	5815-356-3258		BAR, T, TELETYPEWRITER: (G &) Sig Dwg SM-D-187782-22			1	0.8	0.4	5		50075A
Pl F	5815-356-3259		BAR, T, TELETYPEWRITER: (Y 6) Sig Dwg SM-D-187782-23			1	0.8	0.4	5		50076A
Pl F	5815-356-3260		BAR, T, TELETYPEWRITER: (W 2) Sig Dwg SM-D-187782-24			1	0.8	0.4	5		50077A
Pl F	5815-356-3261		BAR, T, TELETYPEWRITER: (K () Sig Dwg SM-D-187782-25			1	0.8	0.4	5		50078A
Pl F	5815-356-3262		BAR, T, TELETYPEWRITER: (Q 1) Sig Dwg SM-D-187782-26			1	0.8	0.4	5		50079A
Pl F	5815-534-3035		BAR, T, TELETYPEWRITER: (H) Kleinschmidt part 56683A			1	0.8	0.4	5		50083A
Pl F	5815-545-8207		BAR, T, TELETYPEWRITER: (S) Sig Dwg SM-D-187782-16			1	0.8	0.4	5		56684A
			NOTE: The following set of type bars should be used when Teleprinter TT-259/FG is operated at 100 wpm								
Pl F	5815-602-2798		BAR, T, TELETYPEWRITER: marked Z'' Kleinschmidt part No. 62211			1	0.8	0.4	5		62211
Pl F	5815-602-2766		BAR, T, TELETYPEWRITER: marked J' Kleinschmidt part No. 62212			1	0.8	0.4	5		62212
Pl F	5815-602-2797		BAR, T, TELETYPEWRITER: marked x 1 Kleinschmidt part No. 62213			1	0.8	0.4	5		62213
Pl F	5815-602-2796		BAR, T, TELETYPEWRITER: marked V; Kleinschmidt part No. 62214			1	0.8	0.4	5		62214
Pl F	5815-602-2795		BAR, T, TELETYPEWRITER: marked B? Kleinschmidt part No. 62215			1	0.8	0.4	5		62215
Pl F	5815-602-2762		BAR, T, TELETYPEWRITER: marked C : Kleinschmidt part No. 62216			1	0.8	0.4	5		62216
Pl F	5815-602-2791		BAR, T, TELETYPEWRITER: marked P Ø Kleinschmidt part No. 62217			1	0.8	0.4	5		62217
Pl F	5815-602-2785		BAR, T, TELETYPEWRITER: marked M . Kleinschmidt part No. 62218			1	0.8	0.4	5		62218

Army-Ft Monmouth, NJ-MO

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-259/FG (continued)								
9 P1 F	3110-271-0244		BEARING, BALL, ANNULAR: Fafnir part AKP4A-FS160			5	2.6	1.6	25		10752
9 P1 F	3110-144-8858		BEARING, BALL, ANNULAR: Fafnir part 38KDD-FS160 (Authorized allowances based on a total of 4)			2	2.0	1.2	40		10757
P1 F	5815-228-6708		BAR, CONNECTING, TELETYPEWRITER: Stamped-1 Sig Dwg No. SC-C-69992-1			1	0.8	0.4	5		50022
P1 F	5815-228-6709		BAR, CONNECTING, TELETYPEWRITER: Stamped-2 Sig Dwg No. SC-C-69992-2			1	0.8	0.4	5		50023
P1 F	5815-228-6701		BAR, CONNECTING, TELETYPEWRITER: Stamped-3 Sig Dwg No. SC-C-69992-3			1	0.8	0.4	5		50024
P1 F	5815-228-6713		BAR, CONNECTING, TELETYPEWRITER: Stamped-4 Sig Dwg No. SC-C-69992-4			1	0.8	0.4	5		50025
P1 F	5815-228-6714		BAR, CONNECTING, TELETYPEWRITER: Stamped-5 Sig Dwg No. SC-C-69992-5			1	0.8	0.4	5		50026
P1 F	5815-228-6753		BAR, CONNECTING, TELETYPEWRITER: Stamped-6 Sig Dwg No. SC-C-69992-6			1	0.8	0.4	5		50027
P1 F	5815-228-6751		BAR, CONNECTING, TELETYPEWRITER: Stamped-7 Sig Dwg No. SC-C-69992-7			1	0.8	0.4	5		50028
P1 F	5815-228-6707		BAR, CONNECTING, TELETYPEWRITER: Stamped-8 Sig Dwg No. SC-C-69992-8			1	0.8	0.4	5		50029
P1 F	5815-228-6704		BAR, CONNECTING, TELETYPEWRITER: Stamped-9 Sig Dwg No. SC-C-69992-9			1	0.8	0.4	5		50030
P1 F	5815-228-6705		BAR, CONNECTING, TELETYPEWRITER: Stamped-10 Sig Dwg No. SC-C-69992-10			1	0.8	0.4	5		50031
P1 F	5815-228-6752		BAR, CONNECTING, TELETYPEWRITER: Stamped-11 Sig Dwg No. SC-C-69992-11			1	0.8	0.4	5		50032
P1 F	5815-224-6460		BAR, CONNECTING, TELETYPEWRITER: Stamped-12 Sig Dwg No. SC-C-69992-12			1	0.8	0.4	5		50033
P1 F	5815-228-6703		BAR, CONNECTING, TELETYPEWRITER: Stamped-13 Sig Dwg No. SC-C-69992-13			1	0.8	0.4	5		50034
P1 F	5815-224-6459		BAR, CONNECTING, TELETYPEWRITER: Stamped-14 Sig Dwg No. SC-C-69992-14			1	0.8	0.4	5		50035

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-259/FG (continued)								
P1 F	5815-602-2782		BAR, T, TELETYPEWRITER: marked F ! Kleinschmidt part No. 62219			1	0.8	0.4	5		62219
P1 F	5815-602-2788		BAR, T, TELETYPEWRITER: marked R 4 Kleinschmidt part No. 62220			1	0.8	0.4	5		62220
P1 F	5815-602-2787		BAR, T, TELETYPEWRITER: marked 09 Kleinschmidt part No. 62221			1	0.8	0.4	5		62221
P1 F	5815-602-2767		BAR, T, TELETYPEWRITER: marked I 8 Kleinschmidt part No. 62222			1	0.8	0.4	5		62222
P1 F	5815-602-2789		BAR, T, TELETYPEWRITER: marked T 5 Kleinschmidt part No. 62223			1	0.8	0.4	5		62223
P1 F	5815-602-2781		BAR, T, TELETYPEWRITER: marked E 3 Kleinschmidt part No. 62224			1	0.8	0.4	5		62224
P1 F	5815-602-2776		BAR, T, TELETYPEWRITER: marked A - Kleinschmidt part No. 62225			1	0.8	0.4	5		62225
P1 F	5815-602-2786		BAR, T, TELETYPEWRITER: marked N ' Kleinschmidt part No. 62228			1	0.8	0.4	5		62228
P1 F	5815-602-2784		BAR, T, TELETYPEWRITER: marked L) Kleinschmidt part No. 62229			1	0.8	0.4	5		62229
P1 F	5815-602-2775		BAR, T, TELETYPEWRITER: marked D $ Kleinschmidt part No. 62230			1	0.8	0.4	5		62230
P1 F	5815-602-2773		BAR, T, TELETYPEWRITER: marked U 7 Kleinschmidt part No. 62231			1	0.8	0.4	5		62231
P1 F	5815-602-2763		BAR, T, TELETYPEWRITER: marked G & Kleinschmidt part No. 62232			1	0.8	0.4	5		62232
P1 F	5815-602-2772		BAR, T, TELETYPEWRITER: marked Y 6 Kleinschmidt part No. 62233			1	0.8	0.4	5		62233
P1 F	5815-602-2770		BAR, T, TELETYPEWRITER: marked W 2 Kleinschmidt part No. 62234			1	0.8	0.4	5		62234
P1 F	5815-602-2783		BAR, T, TELETYPEWRITER: marked K (Kleinschmidt part No. 62235			1	0.8	0.4	5		62235
P1 F	5815-602-2769		BAR, T, TELETYPEWRITER: marked Q 1 Kleinschmidt part No. 62236			1	0.8	0.4	5		62236
P1 F	5815-602-2765		BAR, T, TELETYPEWRITER: marked H Kleinschmidt part No. 62260			1	0.8	0.4	5		62260

SOURCE CODE A B C D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
			TT-259/FG (continued)								
P1 F	5815-602-2764		BAR, T, TELETYPEWRITER: marked S Kleinschmidt part No. 62261			1	0.8	0.4	5		62261
P1 F	5310-521-8729		WASHER, FLAT: (For authorized allowances see Group #3)			2					50315
P1 F	5310-062-2948		WASHER,FLAT: Sig dwg SC-B-69322-3			2	0.8	0.4	20		50320
P1 F	5815-240-0190		COLLAR, SHAFT: Sig C dwg SC-B-70020			2	0.8	0.4	4		50392
P1 F	5815-356-3317		PLATE, DETENT: Sig dwg SC-B-70024			1	0.5	0.3	2		50393
P1 F	5815-356-3318		RAIL, GUIDE: Sig C dwg SC-C-69604			1	0.5	0.3	2		50394A
P1 F	5815-356-3319		DRIVE, RIBBON: Sig dwg SC-B-70023			1	1.0	0.5	2		50400A
P1 F	5815-598-4994		SPRING, HELICAL, EXTENSION: Sig C dwg SC-B-69337-11			1	1.0	0.5	10		50403
P1 F	5310-523-2143		WASHER, FLAT: Sig dwg SC-B-69389-2 (Authorized allowances based on a total of 4)			2	1.1	0.6	20		50414
P1 F	5815-356-3324		CUSHION: Sig C dwg SC-B-70050			1	1.0	0.5	10		50429A
P1 F	5815-356-3325		NUT, PLAIN, PLATE: Sig C dwg SC-B-70021			2	0.8	0.4	20		50434
P1 F	5815-356-3326		SHAFT: Sig C dwg SC-B-70054			2	0.8	0.4	2		50435A
P1 F	5815-598-4997		SPRING, HELICAL, EXTENSION: Sig C dwg SC-B-69337-12			2	1.5	0.8	20		50447
P1 F	5815-356-3360		SHIM: Sig dwg SC-B-69998 (Authorized allowances based on a total of 2)			1	0.8	0.4	10		50552
P1 F	5815-356-3361		CLAW: Sig C dwg SC-B-70068			1	0.5	0.3	2		50553A
P1 F	5815-203-1520		GEAR, HELICAL: Sig C dwg SC-B-69999			1	1.0	0.5	3		50556
P1 F	5315-243-8876		KEY, MACHINE: Sig C dwg SC-B-70001			1	0.5	0.3	5		50558
P1 F	5310-221-4915		NUT, PLAIN, HEXAGONAL: Sig C dwg SC-B-70002			1	1.0	0.5	10		50559
P1 F	5815-652-4438		ARM: Sig C dwg SC-B-70071			1	0.5	0.3	10		50560A
P1 F	5310-521-8480		NUT, PLAIN,ROUND: Sig C dwg SC-B-70003			1	1.0	0.5	10		50564

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D										FIGURE NO.	ITEM NO.
						TT-259/FG (continued)								
	Pl	F		5305-521-8481		BOLT, EXTERNALLY RELIEVED BODY: Sig C dwg SC-B-70009			4	1.1	0.6	12		50591
	Pl	F		5815-254-8506		GEAR, RACK: Sig C dwg SC-B-70010			1	1.0	0.5	3		50592
	Pl	F		5305-351-7940		STUD: Sig C dwg SC-B-70011			1	0.5	0.3	2		50593
	Pl	F		5305-351-7941		STUD, THREADED: Sig dwg SC-B-70012			1	1.0	0.5	10		50594
	Pl	F		5340-598-4972		SPRING, HELICAL, EXTENSION: Sig C dwg SC-B-69326-20			26	8.3	3.6	260		50595
	Pl	F		5815-356-3370		HOOK: Sig C dwg SC-B-69517 (Authorized allowances based on a total of 2)			1	0.8	0.4	2		50598
	Pl	F		5305-298-8573		SCREW, MACHINE: Sig C dwg SC-B-70014			4	2.0	1.2	40		51132
	Pl	F		5815-356-3492		SPRING, HELICAL, EXTENSION: Sig dwg SC-C-69326-24			1	1.0	0.5	10		51544
	Pl	F		5815-663-3315		SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-148310-8			2	1.5	0.8	10		53961
	Pl	F		5815-322-5593		LEVER: Sig dwg SM-B-187037			1	0.8	0.4	10		55026A
	Pl	F		5815-322-5594		LEVER: Sig dwg SM-B-171639			1	0.8	0.4	10		55028A
	Pl	F		5815-322-5595		GUIDE,RIBBON: Sig dwg SM-B-187040			1	1.0	0.5	5		55036
	Pl	F		5815-537-7696		LEVER ASSEMBLY: Sig dwg SM-B-187177			1	0.8	0.4	10		55790A
	Pl	F		5815-537-7697		LEVER ASSEMBLY: Sig dwg SM-B-187179			1	0.8	0.4	10		55795A
						NOTE: Maintenance parts required only when MWO 197 is installed								
10	Pl	F		7510-308-7331		INK,TELETYPEWRITER: Leedall Prod part No. PB-101-2-3-E7M5M			1	1.0	0.5	5		
	Pl	F		5815-327-5482		INKING PAD, TELETYPEWRITER: Sig dwg No. SC-B-53074			1	0.8	0.4	5		
	Pl	F		5815-699-0271		INKWELL ASSEMBLY: Sig dwg No. SC-B-53071			2	0.8	0.4	10		
10	Pl	F		7510-292-9047		RIBBON, TELETYPEWRITER: Leedal Prod			1	89.4	81.4	400		

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-259/FG (continued)								
P1 F	5815-699-0229		TOOL, CLEANING: Sig dwg No. SC-B-53076			1	0.5	0.3	5		
P1 F	5815-699-0251		TOOL, FELT: Sig dwg SC-B-53075			1	0.5	0.3	5		
			GROUP 5 MAIN FRAME ASSEMBLY								
P1 F	5815-323-7321		ELECTROMAGNET: Kleinschmidt part 56130A			1	1.0	0.5	3		E2
P1 F	5935-296-8675		CONNECTOR, PLUG, ELECTRICAL: Amphenol part 26-195			2	1.5	0.8	20		P2, P8
P1 F	5905-556-5561		RESISTOR, VARIABLE: MIL type RV4ATSA502			1	1.0	0.5	10		R4
P1 F	5815-652-8949		MOTOR STOP SWITCH: Kleinschmidt part #59989A			1	1.0	0.5	10		S1
P1 F	5305-335-0400		SCREW, CAP, SOCKET HEAD: Kleinschmidt part #10000			1	1.0	0.5	10		10000
P1 F	5305-521-8637		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #1)			1					10001
P1 F	5305-531-9034		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #4)			12					10003
P1 F	5305-753-4356		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #4)			7					10004
P1 F	5305-655-9483		SCREW, CAP, SOCKET HEAD: MIL type MS-35460-3			3	1.9	1.1	30		10005
P1 F	5305-514-7728		SCREW, CAP, SOCKET HEAD: MIL type MS-35460-4			1	1.0	0.5	10		10006
P1 F	5305-274-0401		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #3)			5					10008-01
P1 F	5305-297-7966		SCREW, CAP, SOCKET HEAD: MIL type MS-35459-15			3	1.9	1.1	30		10009
P1 F	5305-206-2476		SCREW, CAP, SOCKET HEAD: Kleinschmidt part #10010 (Authorized allowances based on a total of 8)			6	3.6	2.3	80		10010
P1 F	5305-570-5987		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #4)			3					10011

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-259/FG (continued)								
P1 F	5305-514-7729		SCREW, CAP, SOCKET HEAD: Kleinschmidt part #10014			2	1.5	0.8	20		10014
P1 F	5305-545-8344		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10017-01			6	3.1	2.0	60		10017-01
P1 F	5305-570-6002		SCREW, CAP, SOCKET HEAD: Mil type MS35460-13 (Authorized allowances based on a total of 5)			2	2.6	1.6	50		10018
P1 F	5305-537-8200		SCREW, CAP, SOCKET HEAD: Kleinschmidt part #10018-01 (Authorized allowances based on a total of 5)			4	2.6	1.6	50		10018-01
P1 F	5305-655-6955		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #3)			2					10024
P1 F	5305-530-9381		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10024-01 (Authorized allowances based on a totalof 2)			1	1.5	0.8	20		10024-01
P1 F	5305-297-7962		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #4)			2					10025
P1 F	5305-545-8374		SCREW, CAP, SOCKET HEAD: Kleinschmidt part #10032 (Authorized allowances based on a total of 6)			2	2.6	1.6	60		10032
P1 F	5305-546-6876		SCREW, CAP, SOCKET HEAD: Kleinschmidt part #10052 (Authorized allowances based on a total of 7)			3	3.1	2.0	70		10052
P1 F	5305-721-4490		SCREW, CAP, SOCKET HEAD: MIL type MS-35459-1			2	1.5	0.8	20		10058
P1 F	5305-297-7700		SCREW, MACHINE: Kleinschmidt part #10076			2	1.5	0.8	20		10076
P1 F	5305-543-2595		SCREW, MACHINE: Kleinschmidt part No. 10090			1	1.0	0.5	10		10090
P1 F	5305-537-8241		SCREW, MACHINE: Kleinschmidt part #10111			1	1.0	0.5	10		10111
P1 F	5305-698-5294		SCREW, MACHINE: Kleinschmidt part #10179 (Authorized allowances based on a total of 18)			9	6.3	2.6	180		10179

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-259/FG (continued)								
P1 F	5305-333-4261		SETSCREW: (For authorized allowances see Group #3)			10					10201
P1 F	5305-333-4262		SETSCREW: MIL type MS-51019-34			7	3.1	2.0	70		10203
P1 F	5305-579-5304		SETSCREW: (For authorized allowances see Group #4)			1					10204
P1 F	5305-576-5488		SETSCREW: Kleinchmidt part #10208 (Authorized allowances based on a total of 10)			6	4.2	2.7	100		10208
P1 F	5305-207-8967		SETSCREW: (For authorized allowances see Group #3)			18					10209
P1 F	5305-333-4254		SETSCREW: MIL type MS51020-51			5	2.6	1.6	50		10211
P1 F	5305-206-5101		SETSCREW: Kleinschmidt part #10212			1	1.0	0.5	10		10212
P1 F	5305-297-7909		SETSCREW: MIL type MS-51027-30			1	1.0	0.5	10		10220
P1 F	5305-297-7894		SETSCREW: MIL type MS51020-27			2	1.5	0.8	20		10221
P1 F	5305-297-7905		SETSCREW: MIL type 51020-49 (Authorized allowances based on a total of 4)			2	2.0	1.2	40		10223
P1 F	5305-297-7962		SETSCREW: MIL type MS51027-29			2	1.5	0.8	20		10225
P1 F	5305-545-8466		SETSCREW: MIL type MS51028-29			2	1.5	0.8	20		10235
P1 F	5305-521-8638		SCREW, MACHINE: Kleinschmidt part #10304 (Authorized allowances based on a total of 4)			2	2.0	1.2	40		10304
P1 F	5305-521-8649		SCREW, MACHINE: Kleinschmidt part #10307			1	1.0	0.5	10		10307
P1 F	5305-638-0861		SCREW, MACHINE: Kleinchmidt part #10317			3	1.9	1.1	30		10317
P1 F	5305-567-2883		SCREW, MACHINE: Kleinschmidt part #10362			2	1.5	0.8	20		10362
P1 F	5305-206-3903		SCREW, MACHINE: Kleinschmidt part #10386			2	1.5	0.8	20		10386

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-259/FG (continued)								
P1 F	5305-207-5582		SCREW, MACHINE: (For authorized allowances see Group #1)			4					10393
P1 F	5310-209-3990		WASHER, LOCK: MIL type MS35333-71 (Authorized allowances based on a total of 13)			3	5.0	2.0	130		10403
P1 F	5310-543-2739		WASHER, LOCK: (For authorized allowances see Group #1)			2					10404
P1 F	5310-282-9584		WASHER, LOCK: MIL type MS-35333-73 (Authorized allowances based on a total of 28)			11	8.7	3.7	280		10405
P1 F	5310-261-6197		WASHER, LOCK: Shakeproof part #4010-1400 (Authorized allowances based on a total of 4)			2	2.0	1.2	40		10406
P1 F	5310-180-0277		WASHER, LOCK: MIL type MS-35333-76 (Authorized allowances based on a total of 3)			1	1.9	1.1	30		10419
P1 F	5310-637-9606		WASHER, LOCK: Kleinschmidt part			2	1.5	0.8	20		10420
P1 F	5310-515-9940		WASHER, LOCK: MIL type MS-35333-58			1	1.0	0.5	10		10424
P1 F	5310-013-1196		WASHER, LOCK: (For authorized allowances see Group #1)			28					10429
P1 F	5310-209-3871		WASHER, LOCK: (For authorized allowances see Group #3)			14					10430
P1 F	5310-198-3711		WASHER, LOCK: (For authorized allowances see Group #3)			3					10431
P1 F	5310-017-8164		WASHER, LOCK: MIL type MS35339-58			3	1.9	1.1	30		10433
P1 F	5310-209-3860		WASHER, LOCK: (For authorized allowances see Group #1)			2					10434
P1 F	5310-209-1239		WASHER, LOCK: MIL type MS35335-60			2	1.5	0.8	20		10427
P1 F	5310-186-7410		WASHER, FLAT: MIL type MS15795-206 (Authorized allowances based on a total of 20)			11	3.1	2.0	200		10450
P1 F	5310-639-8165		WASHER, FLAT: (For authorized allowances see Group #3)			3					10458

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-259/FG (continued)								
P1 F	5310-616-3747		WASHER, FLAT: Kleinschmidt part #10459 (Authorized allowances based on a total of 12)			5	2.0	1.2	120		10459
P1 F	5340-697-3599		RING, RETAINER: Waldes part No. 5101-25-S-PP			1	1.3	0.7	5		10462
P1 F	5310-637-3945		WASHER, FLAT: (For authorized allowances see Group #3)			2					10464
P1 F	5310-595-5385		WASHER, FLAT: (For authorized allowances see Group #3)			2					10467
P1 F	5310-551-7541		NUT, SELF-LOCKING,HEXAGONAL: (For authorized allowances see Group #1)			11					10500
P1 F	5310-523-2035		NUT, SELF-LOCKING, HEXAGONAL: (For authorized allowances see Group #3)			7					10501
P1 F	5310-489-9725		NUT, PLAIN, HEXAGONAL: Kleinschmidt part #10502			1	1.0	0.5	10		10502
P1 F	5310-550-1154		NUT, PLAIN, HEXAGONAL: (For authorized allowances see Group #1)			2					10504
P1 F	5310-576-5487		NUT, PLAIN, HEXAGONAL: Kleinschmidt part #10505 (Authorized allowances based on a total of 7)			5	3.1	2.0	70		10505
P1 F	5310-546-6858		NUT, PLAIN, HEXAGONAL: Kleinschmidt part #10507 (Authorized allowances based on a total of 12)			5	4.8	3.0	120		10507
P1 F	5310-524-0219		NUT, PLAIN, WING: (For authorized allowances see Group #4)			1					10508
P1 F	5310-208-6617		NUT, PLAIN, HEXAGONAL: (For authorized allowances see Group #4)			2					10509
P1 F	5310-527-4494		NUT, PLAIN, HEXAGONAL: Kleinschmidt part #10513			2	1.5	0.8	20		10513
P1 F	5310-208-4124		NUT, PLAIN, HEXAGONAL: Kleinschmidt part #10516			1	1.0	0.5	10		10516
P1 F	5310-521-8558		NUT, PLAIN, HEXAGONAL: (For authorized allowances see Group #1)			3					10520
P1 F	5310-558-6035		NUT, PLAIN, HEXAGONAL: Kleinschmidt 10524			6	2.6	1.6	60		10524

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D										FIGURE NO.	ITEM NO.
						TT-259/FG (continued)								
	P1	F		5310-208-6742		NUT, PLAIN, HEXAGONAL: Kleinschmidt part #10529 (Authorized allowances based on a total of 3)			1	1.9	1.1	30		10529
9	P1	F		3120-287-9068		BEARING, SLEEVE: AMPLEX part No. F-319			2	1.5	0.8	10		10705
9	P1	F		3120-287-9007		BEARING, SLEEVE: AMPLEX part No.F-375-1			1	1.0	0.5	5		10706
9	P1	F		3120-542-0187		BEARING, SLEEVE: AMPLEX part F-445-1			1	1.0	0.5	5		10708
9	P1	F		3120-662-2818		BEARING,SLEEVE: AMPLEX Part #A-548-1			1	1.0	0.5	5		10712
9	P1	F		3110-155-9628		BEARING, BALL, ANNULAR: Fafnir part S1KDD7-FS160			1	1.0	0.5	5		10753
9	P1	F		3110-155-9589		BEARING, BALL, ANNULAR: Fafnir part 33 KDD3-FS160			1	1.0	0.5	5		10754
9	P1	F		3110-155-9601		BEARING, BALL, ANNULAR: Fafnir part 33 KDD5-FS160			1	1.0	0.5	5		10755
9	P1	F		3110-533-4611		BEARING, BALL, ANNULAR: Fafnir part 37KDD-FS160			1	1.0	0.5	5		10756
9	P1	F		3110-144-8858		BEARING, BALL, ANNULAR: (For authorized allowances see Group #4)			2					10757
9	P1	F		3110-144-8865		BEARING, BALL, ANNULAR: Fafnir part #39KDD-FS160			1	1.0	0.5	5		10758
	P1	F		5315-839-2326		PIN, COTTER: MIL type MS-24665-281			2	2.0	1.2	10		10805
	P1	F		5315-242-5473		PIN, COTTER: Kleinschmidt part #10806			2	2.0	1.2	10		10806
	P1	F		5315-209-7626		PIN, TAPERED, PLAIN: Kleinschmidt part No. 10860			4	1.1	0.6	8		10860
	P1	F		5315-058-7353		PIN, TAPER: Kleinschmidt part #10862			1	0.5	0.3	2		10862
	P	C		7530-223-7966		PAPER, RECORDING: Kleinschmidt			1	169.8	159.0	500		10931
9	P1	F		5340-282-0813		RING, RETAINING: (For authorized allowances see Group #3)			8					10949
	P1	F		5340-282-0778		RING, RETAINING: Waldes part #X5133-31-PP			2	2.0	1.2	10		10959

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-259/FG (continued)								
P1 F	5340-256-2867		RING, RETAINING: (For authorized allowances see Group #1)			4					10960
P1 F	5340-282-0780		RING,RETAINING: (For authorized allowances see Group #1)			2					10969
P1 F	5315-597-2409		PIN, SPRING: ESNA part #52-022-094-0312			4	1.1	0.6	8		11059
P1 F	5305-619-4700		SCREW, MACHINE: Kleinschmidt part No. 11209			1	1.0	0.5	10		11209
P1 F	5940-642-4428		TERMINAL LUG: Thomas & Betts part #STA-KON V-33			1	1.0	0.5	10		20379
P1 F	5340-209-9361		BUMPER, RUBBER: LAVELLE RUBBER part No. 35PB			1	0.5	0.3	25		20762
P1 F	5815-575-3568		FELT, MECHANICAL,PREFORMED: Kleinschmidt part #61344A Replaces 50013A (Authorized allowances based on a total of 2)			1	10.0	4.2	10		50013A
P1 F	5815-356-3235		LEVER: Sig dwg SC-B-69491			1	0.8	0.4	10		50014
P1 F	5815-330-9941		BEARING, SET: Sig dwg SC-B-69494			1	1.0	0.5	5		50019A
P1 F	5815-356-3238		LATCH, LEVER: Sig dwg SC-B-69472			1	0.8	0.4	10		50020A
P1 F	5310-523-2002		WASHER, FLAT: Sig dwg SC-B-69325-3			1	0.5	0.3	10		50053
P1 F	5815-330-9942		BEARING,PIVOT: Sig dwg SC-B-69495			1	0.5	0.3	5		50146
P1 F	5310-521-8475		WASHER, THRUST: Sig dwg SC-B-69389-4			4	1.1	0.6	40		50147
P1 F	5310-523-2003		WASHER, FLAT: Sig dwg SC-B-693893			9	1.9	1.1	90		50148
P1 F	5815-791-6061		STOP LEVER: Sig dwg SM-B-342394			1	0.8	0.4	10		50152
P1 F	5305-524-5612		NUT, PLAIN, PLATE: Sig dwg SC-B-69499			1	1.0	0.5	10		50174
P1 F	5305-514-7484		SCREW, MACHINE: Sig dwg SC-B-69671			2	1.5	0.8	20		50207
P1 F	5310-521-8729		WASHER FLAT: (For authorized allowances see Group #3)			2					50315
P1 F	5815-600-2698		CAM: Sig dwg SC-B-69594			1	1.0	0.5	5		50317

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-259/FG (continued)								
P1 F	5815-356-3307		POST ANCHOR: Sig dwg SC-B-69503			1	0.8	0.4	1		50325A
P1 F	5815-203-1678		GEAR, WORM: 60 WPM: Sig dwg SC-B-69681			1	1.0	0.5	3		50350
			OR								
P1 F	5815-203-1327		GEAR, WORM: Sig dwg SC-B-70482			1	1.0	0.5	3		50596
P1 F	5815-378-5593		GEAR, WORM WHEEL: 60 WPM: Sig dwg SC-B-69663			1	1.0	0.5	3		50352A
			OR								
P1 F	5815-351-7944		GEAR, WORM WHEEL: Sig dwg SC-B-70478			1	1.0	0.5	3		50597A
P1 F	5310-523-2236		WASHER, FLAT: Sig dwg SC-B-69580			1	0.5	0.3	10		50374
P1 F	5815-622-2014		CLUTCH, FRICTION: Sig dwg SM-B-148341			1	1.0	0.5	2		50377A
P1 F	5815-203-1447		GEAR, SPUR: Sig dwg SC-B-69581			1	1.0	0.5	3		50383
P1 F	5310-524-5656		WASHER, FLAT: Sig dwg SC-B-69389-5			2	0.8	0.4	20		50384
P1 F	5815-356-3327		SHAFT: Sig dwg SC-B-69585			1	0.5	0.3	1		50456
P1 F	5815-356-3333		LINK, CONNECTING: Sig dwg SC-B-69586			1	0.5	0.3	2		50483
P1 F	5310-521-8734		WASHER, FLAT: Sig dwg SC-B-69322-5 (Authorized allowances based on a total of 6)			2	1.5	0.8	60		50494
P1 F	5815-356-3339		BAR, SELECTOR, TELETYPEWRITER: Sig Dwg SC-B-69639			32	6.7	2.8	160		50502
P1 F	5815-356-3345		STOP, LEVER: Sig dwg SC-B-69483			1	0.8	0.4	10		50511
P1 F	5815-351-7928		GEAR, SPUR: Sig dwg SM-B-148346			1	1.0	0.5	3		50512A
P1 F	5310-521-8723		WASHER, FLAT: Sig dwg SC-B-69325-4 (Authorized allowances based on a total of 9)			2	1.9	1.1	90		50515
P1 F	5815-607-3904		DRUM, CLUTCH: Sig dwg SC-B-70505			1	1.0	0.5	2		50516A
P1 F	5815-228-6715		BAIL, PRINT: Sig dwg SC-B-69676			1	0.5	0.3	2		50533
P1 F	5815-356-3354		SHAFT: Sig Dwg SC-B-69677			1	0.5	0.3	1		50534
P1 F	5815-356-3355		ARM: Sig dwg SC-B-69625			1	0.5	0.3	10		50535A

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-259/FG (continued)								
P1 F	5815-356-3360		SHIM: (For authorized allowances see Group 4)			1					50552
P1 F	5815-243-8497		GEAR ASSEMBLY: Sig dwg SC-B-69626			1	1.0	0.5	3		50565A
P1 F	5815-356-3370		HOOK: (For authorized allowances see Group #4)			1					50598
P1 F	5815-356-3371		SHAFT ASSEMBLY: Sig dwg SC-B-70404			1	1.0	0.5	1		50605A
P1 F	5815-351-7948		STUD: Sig dwg SC-B-69465			1	0.5	0.3	2		50650
P1 F	5310-576-5486		NUT, PLAIN, HEXAGONAL: Sig dwg SC-B-69466			1	1.0	0.5	10		50651
P1 F	5815-351-7951		GASKET: Sig dwg SC-B-69664			1	1.3	0.7	25		50725
P1 F	5815-356-3394		PLATE: Sig dwg SC-B-69541			1	0.5	0.3	2		50735
P1 F	5815-356-3395		GATE, APERTURE: Sig dwg SC-B-69518			1	0.8	0.4	2		50743A
P1 F	5310-638-5179		WASHER, FLAT: Sig dwg SC-B-69322-6			1	0.5	0.3	10		50746
P1 F	5815-356-3397		CAM: Sig Dwg SC-B-69706			1	0.8	0.4	5		50752
P1 F	5815-356-3398		CAM: Sig dwg SC-B-69707			1	0.8	0.4	5		50753A
P1 F	5815-224-6461		BAR, PUNCH, TELETYPEWRITER: Sig dwg SC-B-69544			2	1.1	0.6	10		50755
P1 F	5815-356-3402		LEVER: Sig dwg SC-B-69529			1	0.8	0.4	10		50760
P1 F	5815-356-3438		LATCH: Sig dwg SC-B-69525			1	0.5	0.3	3		50821
P1 F	5815-356-3439		FOLLOWER, CAM: Sig dwg SC-B-148352			1	0.8	0.4	5		50822A
P1 F	5310-523-2005		WASHER, FLAT: Sig dwg SC-B-69907-2			1	0.5	0.3	10		50839
P1 F	5815-356-3445		CLAW: Sig dwg SC-B-70494			1	0.5	0.3	2		50841a
P1 F	5815-356-3446		ROLLER: Sig dwg SC-B-69666			2	0.8	0.4	4		50843
P1 F	5815-233-0954		SPRING,HELICAL, COMPRESSION: Sig dwg SC-B-69507-11			1	1.0	0.5	5		50848
P1 F	5815-662-6718		BEARING SLEEVE: Sig dwg SC-B-69709			1	0.5	0.3	3		50852
P1 F	5815-356-3454		LEVER: Sig dwg SM-B-148355			1	0.8	0.4	10		50874

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-259/FG (continued)								
P1 F	6350-243-1251		CLAPPER, ELECTRIC BELL: Sig dwg SM-B-148357			1	0.5	0.3	4		50879A
P1 F	5815-224-6462		BAR, PUNCH, TELETYPEWRITER: Sig dwg SC-B-69544			1	0.8	0.4	5		50881
P1 F	5815-608-5821		STUD, PILOT: Sig dwg SC-B-70547			1	0.5	0.3	2		50886
P1 F	5815-598-4993		SPRING, HELICAL, EXTENSION: Sig dwg SC-B-693373			1	1.0	0.5	10		50901
P1 F	5815-598-4965		SPRING, HELICAL, EXTENSION: Sig dwg SM-B-186883			6	3.1	2.0	60		50902
P1 F	5815-598-4995		SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69337-4			1	1.0	0.5	10		50903
P1 F	5815-598-4978	1	SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69326-6			1	1.0	0.5	10		50904
P1 F	5815-598-4979		SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69326-10			1	1.0	0.5	10		50906
P1 F	5815-598-4982		SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69326-7			1	1.0	0.5	10		50915
P1 F	5815-598-4983		SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69326-8			1	1.0	0.5	10		50916
P1 F	5815-597-8275		SPRING, HELICAL, COMPRESSION: Sig dwg SC-B-69507-4			1	1.0	0.5	5		50917
P1 F	5340-351-7974		SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69326-14			1	1.0	0.5	10		50919
P1 F	5815-598-4984		SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69337-6			2	1.5	0.8	20		50920
P1 F	5815-598-4985		SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69326-13			1	1.0	0.5	10		50921
P1 F	5815-356-3460		ARM: Sig dwg SC-B-69665			1	0.5	0.3	10		50936
P1 F	5815-356-3462		FOLLOWER: Sig dwg SC-B-69679			1	0.5	0.3	2		50948
P1 F	5815-570-3491		LEVER, SET: Sig dwg SC-B-187564			1	0.8	0.4	10		51066A
P1 F	5310-205-8352		WASHER, FLAT: Sig dwg SC-B-69591			1	0.5	0.3	10		51100

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D										FIGURE NO.	ITEM NO.
						TT-259/FG (continued)								
	P1	F		5815-254-4768		COUPLING SHAFT, FLEXIBLE: Sig dwg SC-B-70531			1	1.0	0.5	1		51167A
	P1	F		5815-547-7872		CAM SHAFT: Sig dwg SM-B-148365			1	0.5	0.3	5		51398A
	P1	F		5310-209-0098		WASHER, FLAT: Sig dwg SC-B-69322-9 (Authorized allowances based on a total of 3)			2	1.0	0.5	30		51408
	P1	F		5815-356-3487		SPACER,SLEEVE: Sig dwg SC-B-70256			2	0.8	0.4	4		51416
	P1	F		5815-392-9518		WASHER, FLAT: Sig dwg SC-B-70402			2	0.8	0.4	20		51424
	P1	F		5815-356-3489		BLOCK, GUIDE: Sig dwg SC-B-69542			1	0.5	0.3	2		51428
	P1	F		5815-600-3014		STOP, PLATEN ASSEMBLY: Sig dwg SC-B-70385			1	0.5	0.3	2		51463A
	P1	F		5815-356-3519		LEVER, SET: Sig dwg SC-B-70112			1	1.0	0.5	10		51598A
	P1	F		5340-598-4986		SPRING, HELICAL, EXTENSION: Sig dwg			1	1.0	0.5	10		51645
	P1	F		5815-392-9531		FOLLOWER, CAM: Sig dwg SC-B-70426			1	0.8	0.4	5		51712A
	P1	F		5815-392-9532		FOLLOWER, CAM: Sig dwg SC-B-7042 Grp#1			1	0.8	0.4	5		51714A
	P1	F		5815-392-9533		COLLAR, SPACING: Sig dwg SC-B-70572			1	0.5	0.3	2		51717
	P1	F		5815-338-4466		STUD: Sig dwg SC-B-70425			1	0.5	0.3	2		51719
	P1	F		5815-598-4992		SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69326-28			2	1.5	0.8	20		51754
	P1	F		5815-598-9022		SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69326-27			1	1.0	0.5	10		51755
	P1	F		5310-595-6452		WASHER, FLAT: Sig dwg SM-B-171489-1			2	0.8	0.4	20		51847
	P1	F		5310-595-6482		WASHER, FLAT: Sig dwg SM-B-171622			2	0.8	0.4	20		51848
	P1	F		5815-395-9455		SHAFT: Sig dwg SM-B-148423			1	0.5	0.3	1		52288
	P1	F		5815-534-3014		STUD, THREADED: SIG dwg SM-B-148435			1	1.0	0.5	2		52319
	P1	F		5815-342-6022		LEVER: Sig dwg SM-B-149065			1	0.8	0.4	10		52394A
	P1	F		5815-393-1910		LEVER: Sig dwg SC-B-70401			1	0.8	0.4	10		52454
	P1	F		5815-663-3377		SPRING, HELICAL, EXTENSION: Sig dwg SM-B-186876-14			1	1.0	0.5	10		52501

SOURCE CODE A B C D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
			TT-259/FG (continued)								
P1 F	5815-393-1912		BRACKET: Sig dwg SM-B-148449			1	0.5	0.3	1		52543A
P1 F	5815-591-0867		POST, ANCHOR: Sig dwg SM-B-148451			1	0.5	0.3	1		52552
P1 F	5815-534-3017		STUD, THREADED: Sig dwg SM-B-148452			1	1.0	0.5	2		52553
P1 F	5815-392-7823		LEVER: Sig dwg SM-B-148456			1	0.8	0.4	10		52659A
P1 F	5815-096-7462		SCREW,ADJUSTMENT: Sig dwg SM-B-148458			2	1.5	0.8	20		52688
P1 F	5815-392-7838		LATCH, LEVER: Sig dwg SM-B-148465			1	0.8	0.4	10		52748
P1 F	5815-392-7839		LEVER: Sig dwg SM-B-148466			1	0.8	0.4	10		52749
P1 F	5815-393-1921		DIAL, SCALE: Sig dwg SM-B-148536			1	0.5	0.3	2		52920A
P1 F	5815-393-1922		LEVER, LATCHING: Sig dwg SM-B-148548			1	0.8	0.4	10		52938
P1 F	5340-200-6613		SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-148550			19	6.3	2.6	95		52940
P1 F	5815-392-7884		LEVER: Sig dwg SM-B-148553			1	0.8	0.4	10		52945A
P1 F	5815-692-6844		STUD, THREADED: Sig dwg SM-B-148556			1	1.0	0.5	2		52948
P1 F	5815-324-9262		SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-148310-3			1	1.0	0.5	5		52953
P1 F	5815-392-7887		LATCH, LEVER: Sig dwg SM-B-148567			1	0.8	0.4	10		52963
P1 F	5310-558-3153		WASHER, FLAT: (For authorized allowances see Group #1)			1					52988
P1 F	5815-392-7892		LEVER: Sig dwg SM-B-148608			1	0.8	0.4	10		53106
P1 F	5307-639-3317		STUD: Sig dwg SM-B-148612			1	0.5	0.3	2		53111
P1 F	5815-393-1925		SHIELD, CONTACT: Sig dwg SM-B-148615			1	0.5	0.3	5		53116
P1 F	5815-392-7895		LEVER: Sig dwg SM-B-148621			1	0.8	0.4	10		53129A
P1 F	5315-209-7594		PIN, STRAIGHT HEADED: Sig dwg SM-B-148622			1	0.5	0.3	2		53131
P1 F	5305-297-7694		SCREW, MACHINE: Sig dwg SM-B-148648			4	2.0	1.2	40		53183
P1 F	5815-356-3486		POST SHOULDERED: Sig dwg SC-B-69807			2	0.8	0.4	2		53268
P1 F	5305-393-1931		POST, SHOULDERED: Sig dwg SM-B-69695			1	0.5	0.3	1		53269

Army-Ft Monmouth, NJ-MOP

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-259/FG (continued)								
P1 F	5815-392-7917		BALL, POSITIONING: Sig dwg SM-B-148659			1	0.5	0.3	2		53306A
P1 F	5310-298-8157		WASHER, FLAT: Sig dwg SM-B-69325-6			1	0.5	0.3	10		53453
P1 F	5815-092-1442		STOP, LEVER SET: Kleinschmidt part #53530A			1	0.8	0.4	10		53530A
P1 F	5815-322-5574		LEVER SET: Kleinschmidt part #53540A			1	0.8	0.4	10		53540A
P1 F	5995-521-7842		CABLE, ASSEMBLY SPECIAL PURPOSE, ELECTRICAL: Kleinschmidt part #53545A			1	1.0	0.5	10		53545A
P1 F	5815-672-0043		RING, SET, CODE, TELETYPEWRITER: Kleinschmidt part #61059A Item Nos: 53641A, 53642A, 53643A,53644A,53645A			1	0.8	0.4	2		See desc column
P1 F	5815-301-4611		RETAINER, BALL: Sig dwg SM-B-148761			6	3.1	2.0	12		53647A
P1 F	5815-395-9510		ARM: Sig dwg SM-B-148776			1	0.8	0.4	10		53802A
P1 F	5815-594-4063		SELECTOR, CONTROL, SUB-ASSEMBLY: Kleinschmidt part #57926A (Replaces 53809A)			1	0.8	0.4	2		53809A
P1 F	5815-692-6759		BEARING, SLEEVE: Sig dwg SM-B-148780			1	0.8	0.4	3		53867
P1 F	5815-040-1511		COLLAR, SHAFT: Sig dwg SM-B-148781			1	0.5	0.3	2		53868
P1 F	5815-040-1513		FOLLOWER, CAM: Sig dwg SM-B-148782			1	0.8	0.4	5		53869
P1 F	5815-395-9511		SHAFT: Sig dwg SM-B-148784			1	0.8	0.4	1		53871
P1 F	5815-399-7877		LEVER: Sig dwg SM-B-148788			1	0.8	0.4	10		53875A
P1 F	5815-395-9513		CAM: Sig dwg SM-B-148791			1	0.8	0.4	5		53878
P1 F	5815-395-9514		CAM: Sig dwg SM-B-148793			1	0.8	0.4	5		53881
P1 F	5815-040-1521		FOLLOWER, CAM: Sig dwg SM-B-148794			1	0.8	0.4	5		53882
P1 F	5815-395-9515		LEVER: Sig dwg SM-B-148796			1	0.8	0.4	10		53884
P1 F	5310-537-8632		WASHER, FLAT: Sig dwg SM-B-148797			2	0.8	0.4	20		53885
P1 F	5305-297-3998		SCREW, MACHINE: Sig dwg SM-B-148801			3	1.9	1.1	30		53972

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-259/FG (continued)								
P1 F	5815-309-3884		COLLAR, SHAFT: Sig dwg SM-B-157543			3	1.0	0.5	6		53973
P1 F	5945-257-6365		ARMATURE, ELECTROMAGNETIC ACTUATOR: Sig dwg SM-C-157256			1	0.8	0.4	2		54092A
P1 F	5310-521-8552		KEY, MACHINE: Sig dwg SM-B-186915			5	1.3	0.7	25		54566
P1 F	5815-322-5580		COLLAR, DRIVE SHAFT: Sig dwg SM-B-186981-1			1	0.5	0.3	1		54927
P1 F	5815-322-5582		CLUTCH, FRICTION: Sig dwg SM-B-186982			1	1.0	0.5	2		54929A
P1 F	5815-663-3297		SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-171533			1	1.0	0.5	5		54933
P1 F	5815-528-5517		WASHER, THRUST: Sig dwg SM-B-187020			5	1.3	0.7	50		55001
P1 F	5815-300-5701		BRACKET: Sig dwg SM-B-187021			1	0.5	0.3	1		55002
P1 F	5815-600-3048		LEVER UNIT: Sig dwg SM-B-187022			5	2.0	1.2	50		55004A
P1 F	5815-322-5589		COLLAR, SPACING: Sig dwg SM-B-187023			1	0.5	0.3	2		55006
P1 F	5815-322-5590		SLEEVE, CENTERING: Sig dwg SM-B-187024			1	0.4	0.3	1		55007
P1 F	5815-600-2890		STUD, RECESSED AND STEPPED: Sig dwg SM-B-187025			1	0.5	0.3	1		55008
P1 F	5815-834-5528		SPRING, HELICAL, EXTENSION: Sig dwg SM-B-171539			5	2.6	1.6	50		55009
P1 F	5815-330-9942		POST, ECCENTRIC: Sig dwg SC-B-69495			1	0.5	0.3	1		55024
P1 F	5310-595-6161		SHIM: Sig dwg SM-B-171646			1	0.5	0.3	10		55076
P1 F	5815-340-3724		STUD, ECCENTRIC: Sig dwg SM-B-187080			2	0.8	0.4	2		55173
P1 F	5815-652-4189		SPACER: Sig dwg SM-B-187081			1	0.5	0.3	2		55174
P1 F	5815-322-5598		BUTTON, PUSH: Sig dwg SM-B-187088			1	0.5	0.3	1		55508
P1 F	5815-322-5599		BUTTON, PUSH: Sig dwg SM-B-187092			1	0.5	0.3	1		55513
P1 F	5815-600-2917		LINK, CONNECTING: Sig dwg SM-B-187095			1	0.5	0.3	2		55517
P1 F	5815-546-6799		SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-187096			1	1.0	0.5	5		55518
P1 F	5815-322-5602		SHAFT: Sig dwg SM-B-148790			1	0.5	0.3	1		55522

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-259/FG (continued)								
P1 F	5815-540-2552		COLLAR, SHAFT: Sig dwg SM-B-187163			1	0.5	0.3	2		55736
P1 F	5815-591-0870		STUD, ECCENTRIC: Sig dwg SM-B-187165			3	1.0	0.5	6		55738
P1 F	5340-608-5824		LEVER: Sig dwg SM-B-148643			1	0.8	0.4	10		55740A
P1 F	5815-340-3732		ECCENTRIC: Sig dwg SM-B-187361			1	0.5	0.3	2		56076
P1 F	5815-663-3333		SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-171535			2	1.5	0.8	10		56091
P1 F	5307-592-7734		STUD, SHOULDER: Sig dwg SM-B-187387			1	0.5	0.3	2		56127
P1 F	5815-600-2901		BAR, ADJUSTING: Sig dwg SM-B-187687			1	0.5	0.3	5		56176
P1 F	5815-691-8990		SEGMENT, RETAINING: Sig dwg SM-B-148804			1	1.0	0.5	2		56177
P1 F	5815-600-2900		BAR, ADJUSTING: Sig dwg SM-B-187409			2	0.8	0.4	10		56178
P1 F	5815-342-6046		BAR, SELECTOR, TELETYPEWRITER: Sig dwg SM-B-187411			1	0.8	0.4	5		56179
P1 F	5815-219-7023		STUD: Sig dwg SC-B-70566			1	0.5	0.3	2		56185A
P1 F	5815-523-8665		GEAR, SPUR: Sig dwg SM-B-187463			1	1.0	0.5	3		56274A
P1 F	5815-323-7323		RETAINER, SPRING: Sig dwg SM-B-187464			2	1.5	0.8	4		56277
P1 F	5815-663-3317		SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-186874-8			1	1.0	0.5	5		56279
P1 F	5815-570-3492		STOP, LEVER: Sig dwg SM-B-187554			1	0.8	0.4	10		56613A
P1 F	5815-547-7903		CAM: Sig dwg SC-C-70470			1	0.5	0.3	5		56618A
P1 F	5815-600-2948		LINK ASSEMBLY: Sig dwg SM-B-187451			1	0.5	0.3	2		56622A
P1 F	5815-600-3005		COLLAR, CLAMP: Sig dwg SM-B-314726			2	0.8	0.4	4		56832A
P1 F	5815-558-3010		SHIM: Sig dwg SM-B-171480			2	0.8	0.4	20		57072
P1 F	5815-586-0404		SHIM: Sig dwg SM-B-171620			2	0.8	0.4	20		57073
P1 F	5815-594-3800		BUSHING, MACHINE THREAD: Sig dwg SM-B-49611			3	1.9	1.1	15		57493
P1 F	5815-677-0527		PLATE, RETAINING: Sig dwg SM-B-49620			1	0.5	0.3	1		59332

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-259/FG (continued)								
P1 F	5815-889-3216		SPRING, HELICAL EXTENSION: Sig dwg SM-B-342388			5	2.6	1.6	50		61000
P1 F	5330-840-6519		WASHER, NONMETALLIC: Kleinschmidt part No. 61467			3	2.6	1.6	30		61467
P1 F	5330-846-7712		WASHER, NONMETALLIC: Kleinschmidt part No. 61469			1	2.0	1.2	10		61469
P1 F	5330-841-7418		WASHER, NONMETALLIC: Kleinschmidt part No. 61474			3	2.6	1.6	30		61474
P1 F	5330-840-6520		WASHER, NONMETALLIC: Kleinschmidt part No. 61480			3	2.6	1.6	30		61480
P1 F	5330-846-7713		WASHER, NONMETALLIC: Kleinschmidt part No. 61481			2	2.0	1.2	20		61481
P1 F	5330-841-6379		WASHER, NONMETALLIC: Kleinschmidt part No. 61482			1	1.3	0.7	10		61482
P1 F	5330-841-7414		WASHER, NONMETALLIC: Kleinschmidt part No. 61483			3	2.6	1.6	30		61483
P1 F	5330-853-5824		WASHER, NONMETALLIC: Kleinschmidt part No. 61484			1	1.3	0.7	10		61484
P1 F	5330-841-7413		WASHER, NONMETALLIC: Kleinschmidt part No. 61485			1	1.3	0.7	10		61485
P1 F	5330-853-6382		WASHER, NONMETALLIC: Kleinschmidt part No. 61487			1	1.3	0.7	10		61487
P1 F	5330-841-6382		WASHER, NONMETALLIC: Kleinschmidt part No. 61488			1	1.3	0.7	10		61488
P1 F	5330-841-6384		WASHER, NONMETALLIC: Kleinschmidt part No. 61489			1	1.3	0.7	10		61489
P1 F	5330-840-6516		WASHER, NONMETALLIC: Kleinschmidt part No. 61490			2	2.0	1.2	20		61490
P1 F	5330-840-6514		WASHER, NONMETALLIC: Kleinschmidt part No. 61491			1	1.3	0.7	10		61491
P1 F	5330-841-0915		FELT, MECHANICAL PREFORMED: Kleinschmidt part #61496			1	10.0	4.2	10		61496
P1 F	5330-853-5824		WASHER, NONMETALLIC: Kleinschmidt part #61497			2	3.1	2.0	20		61497

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-259/FG (continued)								
P1 F	5330-850-0086		WASHER, NONMETALLIC: Kleinschmidt part No. 61672			1	1.3	0.7	10		61672
P1 F	5815-475-1174		MAGNET, PREMANENT: Kleinschmidt part #61973			1	1.0	0.5	3		61973
P1 F	5815-889-3244		SPRING, HELICAL, COMPRESSION: Kleinschmidt part No. 61998			1	1.0	0.5	5		61998
			GROUP 6 CHASSIS ASSEMBLY								
P1 F	5305-521-8637		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #1)			3					10001
P1 F	5305-531-9034		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #4)			9					10003
P1 F	5305-274-3401		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #3)			8					10008-01
P1 F	5305-570-5987		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #4)			1					10011
P1 F	5305-567-2900		SCREW, CAP, SOCKET HEAD: MIL type MS-35459-19			4	2.0	1.2	40		10012
P1 F	5305-573-3925		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10017			1	1.0	0.5	10		10017
P1 F	5305-570-6002		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #5)			3					10018
P1 F	5305-537-8200		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #5)			1					10018-01
P1 F	5305-530-9381		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #5)			1					10024-01
P1 F	5305-546-6876		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #5)			4					10052
P1 F	5305-637-7943		SCREW, MACHINE: Kleinschmidt part No. 10080			2	1.5	0.8	20		10080
P1 F	5305-333-4249		SETSCREW: MIL type MS-51019-39			1	1.0	0.5	10		10206
P1 F	5305-576-5488		SETSCREW: (For authorized allowances see Group #5)			4					10208

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-259/FG (continued)								
P1 F	5305-297-7905		SETSCREW: (For authorized allowances See Group #5)			2					10223
P1 F	5305-047-3896		SETSCREW: MIL type MS-51028-48			11	4.8	3.0	110		10234
P1 F	5305-558-6320		SETSCREW: MIL type MS-51019-43			2	1.5	0.8	20		10237
P1 F	5305-333-5046		SCREW, MACHINE: Kleinschmidt part No. 10303			4	2.0	1.2	40		10303
P1 F	5310-282-9584		WASHER, LOCK: (For authorized allowances see Group #5)			9					10405
P1 F	5310-013-1196		WASHER, LOCK: (For authorized allowances see Group #1)			10					10429
P1 F	5310-209-3871		WASHER, LOCK: (For authorized allowances see Group #3)			10					10430
P1 F	5310-198-3711		WASHER, LOCK: (For authorized allowances see Group #3)			2					10431
P1 F	5310-186-7410		WASHER, FLAT: (For authorized allowances see Group #5)			5					10450
P1 F	5340-282-0793		RING, RETAINING: Waldes part No. 5100-31-W			1	1.3	0.7	5		10451
P1 F	5310-639-8165		WASHER, FLAT: (For authorized allowances see Group #3)			5					10458
P1 F	5310-616-3747		WASHER, FLAT: (For authorized allowances see Group #5)			7					10459
P1 F	5310-595-5385		WASHER, FLAT: (For authorized allowances see Group #3)			8					10467
P1 F	5310-524-0236		WASHER, FLAT: Kleinschmidt part No. 10468			1	0.5	0.3	10		10468
P1 F	5310-551-7541		NUT, SELF-LOCKING, HEXAGONAL: (For authorized allowances see Group #1)			10					10500
P1 F	5310-576-5487		NUT, PLAIN, HEXAGONAL: (For authorized allowances see Group #5)			2					10505
P1 F	5310-521-8558		NUT, PLAIN, HEXAGONAL: (For authorized allowances see Group #1)			3					10520

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D										FIGURE NO.	ITEM NO.
						TT-259/FG (continued)								
9	P1	F		3110-144-8841		BEARING, BALL, ANNULAR: Fafnir part 36KDD-FS160			2	1.5	0.8	10		10759
	P1	F		5315-054-4094		PIN, TAPERED PLAIN: Kleinschmidt part No. 10850			2	0.8	0.4	4		10850
	P1	F		5315-243-1198		PIN, TAPERED, PLAIN: Kleinschmidt part No. 10851			1	0.5	0.3	2		10851
	P1	F		5315-598-6077		PIN, TAPERED, PLAIN: Kleinschmidt part No. 10852			5	1.3	0.7	10		10852
	P1	F		5315-537-7638		PIN, STRAIGHT, HEADLESS: Kleinschmidt part #10917			4	1.1	0.6	8		10917
10	P1	F		5340-282-0813		RING, RETAINING: (For authorized allowances see Group #3)			4					10949
	P1	F		5340-256-2867		RING, RETAINING: (For authorized allowances see Group #1)			6					10960
	P1	F		5815-356-3231		LEVER: Sig dwg SC-B-70336			1	0.8	0.4	10		50005A
	P1	F		5815-356-3233		LEVER: Sig dwg SC-B-69394			1	0.8	0.4	10		50011
	P1	F		5815-575-3568		FELT, MECHANICAL, PREFORMED: (For authorized allowances see Group 5)			1					50013A
	P1	F		5815-351-7882		GEAR, SPUR: Kleinschmidtpart #50121A			1	1.0	0.5	3		50121A
	P1	F		5815-378-5592		GEAR, CARRIAGE RETURN: Kleinschmidt part No. 50138A			1	1.0	0.5	3		50138A
	P1	F		5815-351-7886		SPRING, HELICAL, EXTENSION: Sig C dwg No. SC-B-69326-4			1	1.0	0.5	10		50196
	P1	F		5815-523-8656		DISK, CLUTCH: Sig dwg SC-B-69500			2	1.5	0.8	4		50200
	P1	F		5815-356-3281		GEAR, RATCHET: Sig dwg SC-B-69365			1	1.0	0.5	3		50201
	P1	F		5815-356-3284		DISK, CLUTCH: Sig dwg SC-B-69373			1	1.0	0.5	2		50211
	P1	F		5815-598-4961		SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69337-1			1	1.0	0.5	10		50231
	P1	F		5815-598-4962		SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69337-2			1	1.0	0.5	10		50232

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-259/FG (continued)								
P1 F	5815-356-3294		CLAPPER, ELECTRIC BELL: Sig dwg SM-B-148744			1	0.5	0.3	1		50244A
P1 F	5815-203-1450		GEAR, SPUR: Sig dwg SC-B-69329			1	1.0	0.5	3		50257
P1F	5330-351-7892		FELT, MECHANICAL, PREFORMED: Sig dwg SC-B-69332			2	3.0	2.0	20		50260
P1 F	5815-351-7893		GEAR, WORM: Sig dwg SC-B-69662			1	1.0	0.5	3		50268
P1 F	5310-521-8741		WASHER,FLAT: Sig dwg SC-B-69325-2			1	0.5	0.3	10		50306
P1 F	5815-356-3309		CLUTCH, HALF POSITIVE: Sig dwg SC-B-69323			1	1.0	0.5	2		50331
P1 F	5815-678-0722		COLLAR, SHAFT: Sig dwg SC-B-69366			1	0.5	0.3	2		50336
P1 F	5815-203-1730		GEAR, SPUR: Sig dwg SC-B-70522			1	1.0	0.5	3		50354A
P1 F	5815-356-3310		CAM: Sig dwg SM-B-148339			1	0.8	0.4	5		50364A
P1 F	5310-523-2143		WASHER, FLAT: (For authorized allowances see Group #4)			2					50414
P1 F	5815-356-3334		FORK, CLUTCH: Sig dwg SM-B-148343			1	0.5	0.3	2		50484A
P1 F	5815-356-3347		SHAFT: Sig dwg SC-C-69367			1	0.5	0.3	1		50525
P1 F	5310-521-8731		WASHER, THRUST: Sig dwg SC-B-69526			1	0.5	0.3	10		50827
P1 F	5815-356-3451		LINK, SPACE BAR: Sig dwg SC-B-69348			1	0.5	0.3	2		50864
P1 F	5815-351-7958		GEAR, SPUR: Sig dwg SC-B-69352			1	1.0	0.5	3		50884A
P1 F	5310-521-8730		WASHER, FLAT: Sig dwg SC-B-69325			1	0.5	0.3	10		50887
P1 F	5815-237-5896		SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69326-1			1	1.0	0.5	10		50911
P1 F	5340-351-7968		SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69326-6			1	1.0	0.5	10		50912
P1 F	5815-598-4987		SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69326-18			1	1.0	0.5	10		50946
P1 F	5310-221-4917		NUT, PLAIN, HEXAGONAL: Sig dwg SC-B-69368			1	1.0	0.5	10		51079

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-259/FG (continued)								
P1 F	5815-351-7998		DISK, DRIVING: Sig dwg SM-B-148362			2	1.5	0.8	10		51117
P1 F	5310-209-0098		WASHER, FLAT: (For authorized allowances see Group #5)			1					51408
P1 F	5815-356-3525		CLUTCH SUB-ASSEMBLY: Kleinschmidt part No. 51643A			1	0.5	0.3	2		51643A
P1 F	5815-547-7873		RING, RETAINING: Sig dwg SC-B-70344			1	1.3	0.7	5		51651
P1 F	5815-392-9526		CLUTCH, FRICTION: Sig dwg SC-B-70343			1	1.0	0.5	2		51678
P1 F	5815-392-9528		WASHER, FLAT: Sig dwg SM-B-186877-1			1	0.5	0.3	10		51681
P1 F	5815-569-0330		NUT, PLAIN, ROUND: Sig dwg SC-B-70303			1	1.0	0.5	10		51697
P1 F	5310-395-9639		NUT, ANCHOR: Sig dwg SM-B-157024 (AUthorized allowances based on a total of 3)			1	1.9	1.1	10		52073
P1 F	5310-537-8633		WASHER, FLAT: Sig dwg SM-B-171456-1 (as required)			2	0.8	0.4	20		52117
P1 F	5340-664-2592		WASHER, THRUST: Sig dwg SM-B-171456-2			2	0.8	0.4	20		52118
P1 F	5815-201-1624		SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-148310-2			1	1.0	0.5	5		52259
P1 F	5815-392-7759		STUD, ECCENTRIC: Sig dwg SM-B-148434			1	0.5	0.3	2		52318
P1 F	5815-537-7667		LEVER: Sig dwg SM-B-148490			1	0.8	0.4	10		52791A
P1 F	5815-392-7902		LINK, CONNECTING: Sig dwg SM-B-148637			1	0.5	0.3	2		53161A
P1 F	5815-392-7920		LINK, CONNECTING: Sig dwg SM-B-148696			1	0.5	0.3	2		53413
P1 F	5310-595-6712		WASHER, FLAT: Sig SC-B-69389-10			1	0.5	0.3	10		53783
P1 F	5815-322-5577		PAWL: Sig dwg SM-B-186911			1	0.5	0.3	2		54490A
P1 F	5815-340-3718		SHAFT: Sig SM-C-187612			1	0.5	0.3	1		54563
P1 F	5815-322-5581		COLLAR, DRIVE SHAFT: Sig dwg SM-B-171537			3	1.0	0.5	6		54928
P1 F	5815-322-5583		WORM, WHEEL GEAR: Sig dwg SM-B-186983			1	1.0	0.5	3		54930A
P1 F	5815-340-3720		CLUTCH, FRICTION: Sig dwg SM-B-186882			3	1.9	1.1	9		54931

SOURCE CODE A	B	C	D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
						TT-259/FG (continued)								
	P1	F		5815-663-3298		SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-186874-1			2	1.5	0.8	10		54932
	P1	F		5815-663-3296		SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-171534			1	1.0	0.5	5		54934
	P1	F		5815-663-3323		SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-187591			1	1.0	0.5	5		55042
	P1	F		5815-594-0001		LEVER: Sig dwg SM-B-148773			1	0.8	0.4	10		55090A
	P1	F		5815-203-1532		GEAR, HELICAL: Sig dwg SM-B-187073			1	1.0	0.5	3		55164
	P1	F		5815-203-1531		GEAR, HELICAL: Sig dwg SM-B-187825			1	1.0	0.5	3		55166
	P1	F		5815-340-3722		GEAR, HELICAL: Sig dwg SM-B-187075-1			1	1.0	0.5	3		55167
	P1	F		5815-537-7694		SHAFT: SIG dwg SM-B-187078			1	0.5	0.3	1		55171
	P1	F		5815-591-0872		LEVER: Sig dwg SM-B-187442			1	0.8	0.4	10		56241A
	P1	F		5815-340-3735		LEVER: Sig dwg SM-B-187444			1	0.8	0.4	10		56243A
	P1	F		5310-558-6033		WASHER, FLAT: Sig dwg SM-B-187831			1	0.5	0.3	10		56254
	P1	F		5815-534-3034		SPRING,HELICAL, EXTENSION: Sig dwg SM-B-171541			1	1.0	0.5	10		56258
	P1	F		5815-523-8644		SPRING, HELICAL, TORSION: Sig dwg SM-B-187460			1	1.0	0.5	1		56269
	P1	F		5815-547-7906		SHAFT: Kleinschmidt part No. 56829			1	0.5	0.3	1		56829
72	P1	F		3110-844-0675		BEARING, SLEEVE: Sig dwg SM-B-34231			1	1.0	0.5	3		59398
						GROUP 7 BASE ASSEMBLY								
	P1	F		5910-666-8278		CAPACITOR, FIXED, PAPER DIELECTRIC: 0.1 mfd, +25%-15%, 600vdc; MIL type CP08A1KF104K			1	1.0	0.5	10		C2
	P1	F		5910-649-3118		CAPACITOR, FIXED, ELECTROLYTIC: 20 mfd, +20%-10%, 200vdc			2	3.1	2.0	20		C5,C6
	P1	F		5915-521-6775		CAPACITOR-RESISTOR: Sig dwg SM-B-148666			1	1.0	0.5	10		C9A,C9B

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-259/FG (continued)								
P1 F	6130-523-5816		RECTIFIER, METALLIC: Sig dwg SM-B-186908			1	1.0	0.5	10		CR1
P1 F	5945-523-2001		RELAY ASSEMBLY: Automatic Elec Co. CAT No. PP-1891-2			1	1.0	0.5	10		E1
P1 F	5945-049-7857		RELAY-SWITCH: Kleinschmidt part No. 20114			1	1.0	0.5	10		E3
P1 C	5920-578-2510		FUSE, CARTRIDGE: Littelfuse part 313003			1	13.7	11.1	75		F1
P1 C	5920-142-4837		FUSE, CARTRIDGE: MIL type F02GR062A			1	13.7	11.1	75		F4
P1 F	5935-524-5541		CONNECTOR, RECEPTACLE, ELECTRICAL: Amphenol part No. 126-198			3	1.9	1.1	30		J2,5,8
P1 F	5935-149-3230		CONNECTOR, RECEPTACLE, ELECTRICAL: MIL type -3102A-14S-2S			1	1.0	0.5	10		J3
P1 F	5815-301-4610		CONTACT ASSEMBLY, ELECTRICAL: Sig dwg SM-B-148697			1	1.0	0.5	10		J4A
P1 F	5815-537-7677		CONTACT ASSEMBLY, ELECTRICAL: Sig dwg No. SM-B-148699			1	1.0	0.5	10		J4B
P1 F	5935-521-0537		CONNECTOR, RECEPTACLE, ELECTRICAL: Sig dwg SM-B-148662			1	1.0	0.5	10		J6
P1 F	5935-259-6808		CONNECTOR, RECEPTACLE, ELECTRICAL: Amphenol part No. 26-190-16			1	1.0	0.5	10		J7
P1 F	5935-283-3825		JACK TIP: Johnson part No. 105-603-1			2	1.5	0.8	4		J9,J10
P1 F	5935-636-7145		CONNECTOR, PLUG, ELECTRICAL: MIL type UP-121M			1	1.0	0.5	10		P1
P1 F	5935-201-8476		CONNECTOR, PLUG, ELECTRICAL: Amphenol part No. 26-159-16			1	1.0	0.5	10		P7
P1 F	5905-508-0563		RESISTOR, FIXED, WIRE WOUND: 5600 ohms ±5%, 8w; MIL type RW30G562			1	1.0	0.5	10		R2
P1 F	5905-283-7507		RESISTOR, FIXED, WIRE WOUND: 1000 ohms ±5%, 8w; MIL type RW30G102			1	1.0	0.5	10		R3
P1 F	5905-549-7222		RESISTOR, FIXED, WIRE WOUND: 2000 ohms ±5%, 11w; MIL type RW30V202			1	1.0	0.5	10		R6

SOURCE CODE A B C D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
			TT-259/FG (continued)								
P1 F	5905-508-0818		RESISTOR, FIXED, WIRE WOUND: 8000 ohms ±7 1/2%, 8w; MIL type RW30G802			1	1.0	0.5	10		R7
P1 F	5905-108-6308		RESISTOR, FIXED, WIRE WOUND: 5000 ohms ±10%, 25w; MIL type			1	1.0	0.5	10		R10
P1 F	5930-050-2704		SWITCH, TOGGLE: MIL type MS35059-9			1	1.0	0.5	10		S-4
P1 F	5930-775-3784		SWITCH, ROTARY: Grigsby Co. ref No. C-14369-4MLRC-2			1	1.0	0.5	10		S7
P1 F	5940-549-1030		TERMINAL BOARD: Kleinschmidt part No.			1	0.5	0.3	10		TB1
P1 F	5305-521-8637		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #1)			2					10001
P1 F	5305-274-0401		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #3)			37					10008-01
P1 F	5305-206-2476		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #5)			2					10010
P1 F	5305-274-0399		SCREW, CAP, SOCKET HEAD: MIL type MS-35461-3			1	1.0	0.5	10		10010-01
P1 F	5305-297-7962		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #4)			2					10025
P1 F	5305-545-8374		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #5)			4					10032
P1 F	5305-550-2512		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10032-01			2	1.5	0.8	20		10032-01
P1 F	5305-545-8342		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10042-01			4	2.0	1.2	40		10042-01
P1 F	5305-579-1518		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group #4)			2					10050
P1 F	5305-698-5294		SCREW, MACHINE: (For authorized allowances see Group #5)			9					10179
P1 F	5305-206-6057		SCREW, MACHINE: Kleinschmidt part #10252			2	1.5	0.8	20		10252
P1 F	5305-521-8638		SCREW, MACHINE: (For authorized allowances see Group #5)			2					10304

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D										FIGURE NO.	ITEM NO.
						TT-259/FG (continued)								
	P1	F		5305-208-7907		SCREW, MACHINE: (For authorized allowances see Group #1)			6					10308
	P1	F		5305-292-8400		SCREW, MACHINE: Kleinschmidt part No. 10354			3	1.9	1.1	30		10354
	P1	F		5305-207-7484		SCREW, MACHINE: Kleinschmidt part 10357			2	1.5	0.8	20		10357
	P1	F		5305-208-6168		SCREW, MACHINE: Kleinschmidt part No. 10367			4	2.0	1.2	40		10367
	P1	F		5305-297-7798		SCREW, MACHINE: (For authorized allowances see Group #1)			2					10375
9	P1	F		5310-282-9068		WASHER, LOCK: MIL type MS-35333-74			2	1.5	0.8	20		10400
	P1	F		5310-282-9587		WASHER, LOCK: Shakeproof part 1705-00			2	1.5	0.8	20		10402
	P1	F		5310-209-3990		WASHER, LOCK: (For authorized allowances see Group #5)			10					10403
	P1	F		5310-543-2739		WASHER, LOCK: (For authorized allowances see Group #1)			26					10404
	P1	F		5310-282-9584		WASHER, LOCK: (For authorized allowances see Group #5)			8					10405
	P1	F		5310-261-6197		WASHER, LOCK: (For authorized allowances see Group #5)			2					10406
	P1	F		5310-550-3715		WASHER, LOCK: MIL type MS-35333-70			4	2.0	1.2	40		10408
	P1	F		5310-180-0277		WASHER, LOCK: (For authorized allowances see Group #5)			2					10419
	P1	F		5310-013-1196		WASHER, LOCK: (For authorized allowances see Group #1)			14					10429
	P1	F		5310-209-3871		WASHER, LOCK: (For authorized allowances see Group #3)			44					10430
	P1	F		5310-186-7410		WASHER, FLAT: (For authorized allowances see Group #5)			4					10450
	P1	F		5310-429-2274		WASHER, FLAT: (For authorized allowances see Group #1)			8					10463

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D										FIGURE NO.	ITEM NO.
						TT-259/FG (continued)								
	P1	F		5310-595-5385		WASHER, FLAT: (For authorized allowances see Group #3)			6					10467
	P1	F		5310-530-9370		WASHER, FLAT: Kleinschmidt part No. 10477			8	1.7	1.0	80		10477
	P1	F		5310-261-7155		WASHER, FLAT: Shakeproof part 1724-02			3	1.0	0.5	30		10478
	P1	F		5310-523-2035		NUT, SELF-LOCKING, HEXAGONAL: (For authorized allowances see Group #3)			5					10501
	P1	F		5310-546-6858		NUT, PLAIN, HEXAGONAL: (For authorized allowances see Group #5)			7					10507
	P1	F		5310-514-8471		NUT, PLAIN, HEXAGONAL: (For authorized allowances see Group #1)			7					10515
	P1	F		5310-514-7634		NUT, PLAIN, CAP: Kleinschmidt part No. 10519			1	.1.0	0.5	10		10519
	P1	F		5310-208-6742		NUT, PLAIN, HEXAGONAL: (For authorized allowances see Group #5)			2					10529
	P1	F		5310-264-6799		NUT, SELF-LOCKING, HEXAGONAL: ESNA Part F22NTE-048			1	1.3	0.7	10		10534
	P1	F		5310-510-4772		NUT, SELF-LOCKING, HEXAGONAL: ESNA Part No. F92-1660-40			12	6.7	2.8	120		10551
	P1	F		5340-355-9765		MOUNT, VIBRATION: Lord part 150 PLN-20			4	1.1	0.6	4		10911
	P1	F		5305-584-7953		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 11502			4	2.0	1.2	40		11502
	P1	F		5920-556-0144		FUSEHOLDER: MIL type FHN20G			2	1.5	0.8	20		20458
	P1	O		5920-283-7178		CAP, ELECTRICAL: Littelfuse type No. 342003-SA2			1	1.0	0.5	10		20460
5	P1	F		6145-643-0028		CABLE, POWER, ELECTRICAL: MIL-C-3432, type CO-02MGF(2/18) 5J0375 (Authorized allowances will be a minimum of or a multiple of 8 ft)			8	*	*	120		20640-01
	P1	F		5355-160-6096		KNOB: Sig dwg No. SC-B-105817			1	1.0	0.5	5		20704
	P1	F		5940-199-9606		TERMINAL LUG: Kleinschmidt part No. 20705			4	2.0	1.2	40		20705

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-259/FG (continued)								
P1 F	5940-231-4430		TERMINAL LUG: AMP part No. 7-32562			17	6.0	2.4	170		20706
P1 F	5940-231-4428		TERMINAL LUG: (For authorized allowances see Group #1)			1					20708
P1 F	5940-231-4431		TERMINAL LUG: AMP part #c-36			1	1.0	0.5	10		20710
P1 F	5940-271-7322		TERMINAL LUG: AMP part No. 321031			2	1.5	0.8	20		20838
P1 F	5940-537-6591		POST, BINDING: EBY part 7770			5	1.3	0.7	5		20877
P1 F	5310-521-8729		WASHER, FLAT: (For authorized allowances see Group #3)			2					50315
P1 F	5310-521-8734		WASHER, FLAT: (For authorized allowances see Group 5)			4					50494
P1 F	5310-521-8723		WASHER, FLAT: (For authorized allowances see Group 5)			7					50515
P1 F	5310-638-5177		WASHER, FLAT: Sig dwg SC-B-70179			4	1.1	0.6	40		50862
P1 F	5330-240-0354		WASHER, NON-METALLIC: Sig dwg No. SC-B-69821			7	4.8	3.0	70		50909
P1 F	5330-049-7872		WASHER, NON-METALLIC: (For authorized allowances see Group #1)			2					51481
P1 F	5310-395-9639		NUT, ANCHOR: (For authorized allowances see Group #6)			2					52073
P1 F	5815-692-6837		SPACER, SLEEVE: Sig C-dwg No. SM-B-157014-1			1	0.5	0.3	2		52157
P1 F	5815-395-9454		SHIM: Sig dwg SM-B-157016-1			2	0.8	0.4	20		52284
P1 F	5330-641-3375		WASHER, NON-METALLIC: Sig dwg SM-B-187823			6	4.2	2.7	60		54561
P1 F	5815-527-1192		SPRING, HELICAL, EXTENSION: Sig dwg SM-B-171540			2	1.5	0.8	20		55014
P1 F	5940-346-1716		POST, BINDING: Sig dwg SM-B-148359			2	0.8	0.4	2		56197A
P1 F	5815-547-7904		KNOB: Kleinschmidt part No. 56699			2	0.8	0.4	10		56699
P1 F	5815-346-2888		STUD: Sig dwg SM-B-171408			2	0.8	0.4	4		56711A

By Order of Secretary of the Army:

EARLE G. WHEELER,
General, United States Army,
Chief of Staff.

Official:
J. C. LAMBERT,
Major General, United States Army,
The Adjutant General.

Distribution:

Active Army:

DASA (6)
USASA (2)
CNGB (1)
CofEngrs (1)
TSG (1)
CSigO (7)
CofT (1)
CofSptS (1)
USACDA (1)
USCONARC (5)
USAMC (5)
ARADCOM (2)
ARADCOM Rgn (2)
OS Maj Comd (3)
OS Base Comd (2)
LOGCOMD (2)
USAECOM (5)
USAMICOM (4)
USASCC (4)
MDW (1)
Armies (2)
Corps (2)
USA Corps (3)
USATC AD (2)
USATC Engr (2)
USATC Inf (2)
USATC Armor (2)
USASTC (5)
Instls (2) except
Fort Monmouth (65)
Svc Colleges (2)
Br Svc Sch (2)
GENDEP (OS) (2)
Sig Sec, GENDEP (OS) (5)
Sig Dep (OS) (12)
Army Dep (2) except
Fort Worth Army Dep (8)
Lexington Army Dep (12)
Sacramento Army Dep (28)
Tobyhanna Army Dep (12)
USA Avn & Sur Mat Comd (1)
USACECDA (2)
Yuma Test Sta (2)
USA Elct Rsch & Dev Actv (13)
White Sands
USA Elct Rsch & Dev Actv (2)
Fort Huachuca
POE (1)
Trans Tml Comd (1)
Army Tml (1)
USAOSA (1)
AMS (1)
WRAMC (1)
AFIP (1)
Army Pictorial Cen (2)
USA Mob Spt Cen (1)
USA Elct Mat Agcy (12)
Chicago Proc Dist (1)
USARCARIB Sig Agcy (1)
Sig Fld Maint Shops (3)
Units org under fol TOE:
(2 copies each UNOINDC)
11-7
11-16
11-57
11-97
11-98
11-117
11-155
11-157
11-500
(AA-AE) (RM-RU)
11-557
11-587
11-592
11-597

NG: None.
USAR: None.
For explanation of abbreviations used, see AR 320-50.